

Printing date 29.06.2021 Version number 3 (replaces version 2

Version number 3 (replaces version 2) Revision: 29.06.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weber.rep 763

Safety data sheet no.: 49PD20295

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Concrete surfacer

### 1.3 Details of the supplier of the safety data sheet

### Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number: Telefon: +49(0)6131-19240

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

# 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms





GHS05 GHS07

### Signal word Danger

### Hazard-determining components of labelling:

cement portland, grey calcium dihydroxide

### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



# according to 1907/2006/EC, Article 31

Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

### Trade name weber.rep 763

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

### 2.3 Other hazards

**Results of PBT and vPvB assessment PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Ready-mixed mortar with Portland cement

Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	25-50%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey  Èye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203  Specific concentration limits:  Skin Irrit. 2; H315: C ≥ 1 %  Eye Dam. 1; H318: C ≥ 1 %	25-50%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45- xxxx	calcium dihydroxide	≥3-<5%
CAS: 1317-65-3 EINECS: 215-279-6	limestone substance with a Community workplace exposure limit	2-5%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	0.1-1%
CAS: 68475-76-3 EINECS: 270-659-9 Reg.nr.: 01-2119486767-17- xxxx	Flue dust, portland cement  Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- xxxx	titanium dioxide  Carc. 2, H351	0.1-1%

# SVHC Void

### Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

(Contd. on page 3)



Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

Trade name weber.rep 763

(Contd. of page 2)

**After inhalation** Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

## After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### **Information for doctor** None

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Ensure adequate ventilation.

# **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

### 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

**6.4 Reference to other sections** See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage

# Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

# Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

(Contd. on page 4)



Printing date 29.06.2021 Revision: 29.06.2021 Version number 3 (replaces version 2)

Trade name weber.rep 763

(Contd. of page 3)

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs					
CAS: 1305-62-0 calciu					
Inhalative Derived No	Effect Level 4 mg/m³ (worker local short term value)				
	1 mg/m³ (worker local long term value)				
	1 mg/m³ (consumer local long term value)				
	4 mg/m³ (consumer local short term value)				
PNECs					
CAS: 1305-62-0 calciu	•				
Predicted No Effect Co	ncentration 9.32 mg/l (sea water rating factor)				
	0.49 mg/l (fresh water rating factor)				
CAS No. Designation					
	on dioxide (Quartz sand)				
BOELV (European Uni	on) Long-term value: 0.1* mg/m³ *respirable fraction				
MAK (Germany)	Long-term value: 0.05 mg/m³ alveolengängige Fraktion				
GV (Denmark)	Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK				
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y				
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)	Long-term value: 0.025 mg/m³			
VLE (Portugal)	Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão				
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion	Long-term value: 0.1 mg/m³			
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly				
CAS: 65997-15-1 cement portland, grey					
AGW (Germany)	Long-term value: 5 E mg/m³ DFG				
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d				
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4				
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma				
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae				
		(Contd. on page			



Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

Trade name weber.rep 763

		(Contd. of p	
CAS: 1305-62-0 calciu			
IOELV (European Unic	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction		
AGW (Germany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG		
GV (Denmark)	Long-term value: 5 1* mg/m³ E; *respirabel fraktion		
LEP (Spain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d		
TWA (Italy)	Long-term value: 5 mg/m³		
VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica		
VLE (Portugal)	Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea		
OEL (Sweden)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³		
HTP (Finland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³		
CAS: 1317-65-3 limes	tone		
TWA (Italy)	Long-term value: 10 mg/m³ (e)		
CAS: 9004-34-6 Cellu	lose		
LEP (Spain)	Long-term value: 10 mg/m³		
TWA (Italy)	Long-term value: 10 mg/m³		
VLE (Portugal)	Long-term value: 10 mg/m³ Irritação do TRS		
CAS: 13463-67-7 titan	ium dioxide		
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG		
GV (Denmark)	Long-term value: 6 mg/m³ K, som Ti		
LEP (Spain)	Long-term value: 10 mg/m³		
TWA (Italy)	Long-term value: 10 mg/m³ A4	Long-term value: 10 mg/m³	
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI		
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm		

### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

# General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 6)

(Contd. of page 5)



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

## Trade name weber.rep 763

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

### Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

# **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level < 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and

has to be observed.

**Eye/face protection** Tightly sealed goggles **Body protection**: Protective work clothing.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**General Information** 

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable

**Auto-ignition temperature:** Product is not selfigniting.

Decomposition temperature:

pH at 20 °C

Not determined.
>12 (DIN 19261)
In water

Viscosity:

**Kinematic viscosity dynamic:**Not applicable.
Not applicable.

Solubility

Water at 20 °C: 1.5 g/l Zement

Partition coefficient n-octanol/water (log

value) Not determined.

(Contd. on page 7)



# according to 1907/2006/EC, Article 31

Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

Trade name weber.rep 763

(Contd. of page 6)

Vapour pressure: Not applicable.

Density and/or relative density

Density: Not applicable. Bulk density at 20 °C: 1230 kg/m<sup>3</sup> Vapour density Not applicable. **Particle characteristics** See item 3.

9.2 Other information None.

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

Ignition temperature: Not determined.

**Explosive properties:** Product does not present an explosion hazard.

Void

EU-VOC (%) 0.00 %

EU-VOC (g/L)

**Solids content:** 100 %

Change in condition Softening point/range

Oxidising properties Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

**Desensitised explosives** 

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

Trade name weber.rep 763

(Contd. of page 7)

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Туре	Value	Species	
CAS: 65	5997-1	5-1 cement portland, gre	·y		
Dermal	LD50	>2,000 mg/kg (Rabbit)			
CAS: 65	CAS: 65997-16-2 Cement, alumina, chemicals				
Oral	LD50	>2,000 mg/kg (Rat)			
CAS: 13	CAS: 1305-62-0 calcium dihydroxide				
Oral	LD50	>2,000 mg/kg (Rat)			
Dermal	LD50	>2,500 mg/kg (Rabbit)			

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

# STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

# **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

ſ	Type of test Effective concentration Method Assessment			
Ī	CAS: 1305-6	CAS: 1305-62-0 calcium dihydroxide		
Ī	LC50/96h	158 mg/l (Daphnia magna)		
		>50.6 mg/l (Fish)		
	EC50/48h	49.1 mg/l (Daphnia magna)		
	EC50/72h	184.57 mg/l (Algae)		
	NOEC (14d)	32 mg/l (Daphnia magna)		

**12.2 Persistence and degradability** No further relevant information available.

Other information: The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

(Contd. on page 9)



Version number 3 (replaces version 2)

according to 1907/2006/EC, Article 31

Trade name weber.rep 763

Printing date 29.06.2021

(Contd. of page 8)

Revision: 29.06.2021

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

#### Remark

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

### Behaviour in sewage processing plants:

# Type of test Effective concentration Method Assessment

CAS: 1305-62-0 calcium dihydroxide

EC 50 (3h) 300.4 mg/l (Activated sludge)

Remark: The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 14	waste concrete and concrete sludge

### **Uncleaned packaging:**

#### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

## Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.

(Contd. on page 10)



# according to 1907/2006/EC, Article 31

Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

### Trade name weber.rep 763

	(Contd. of page 9
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ing to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

Causes skin irritation. H315

May cause an allergic skin reaction. H317

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Suspected of causing cancer. H351

EUH203 Contains chromium (VI). May produce an allergic reaction.

**Department issuing SDS:** Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 2

# Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

(Contd. on page 11)



Printing date 29.06.2021 Version number 3 (replaces version 2) Revision: 29.06.2021

### Trade name weber.rep 763

(Contd. of page 10)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

# \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG