

according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 1

Revision: 07.02.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.mix 617 hell

Safety data sheet no.: 49PM20119 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Ready-to-use mortar

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint Gobain Weber GmbH Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0 email: Produktsicherheit@sg-weber.de 1.4 Emergency telephone number: Telefon: +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: cement, portland, white Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 07.02.2020

webe

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

(Contd. of page 1)

H335 May cause respiratory irritation.

Precautionary s	statements
-----------------	------------

i recautionary su	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	BIF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362	Take off contaminated clothing.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
2.3 Other hazards	S

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Ready-mixed mortar with Portland cement

Dangerous compone	ents:	
	Siliciumdioxide (Quartz sand) substance with a Community workplace exposure limit	25-50%
	cement, portland, white � Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335	25-50%
	limestone substance with a Community workplace exposure limit	10-20%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

Information for doctor None

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Information about storage in one common storage facility: Do not store together with acids. Store away from foodstuffs. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 07.02.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

CAS No. Designat	ion of material % Type Value Unit	
CAS: 14808-60-7 Sili	ciumdioxide (Quartz sand)	
BOELV (European Un	nion) Long-term value: 0.1* mg/m³ *respirable fraction	
MAK (Germany)	alveolengängige Fraktion	
GV (Denmark)	Long-term value: 0.3* 0.1** mg/m³ *total;**total, respirabel, K	
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y	
TWA (Italy)	Long-term value: 0.025 mg/m³ A2 (r)	
VLE (Portugal)	Long-term value: 0.025 mg/m ³ Resp.;A2; fibrose pulmonar; cancro do pulmão	
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion	
HTP (Finland)	Long-term value: 0.05 mg/m³ alveolijae	
CAS: 65997-15-1 cen	nent, portland, white	
AGW (Germany)	Long-term value: 5 E mg/m³ DFG	
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d	
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4	
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma	
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä/inhalerbart, **alveolijae/respirabel	
CAS: 1317-65-3 limes	stone	
TWA (Italy)	Long-term value: 10 mg/m³ (e)	
Additional information The applicable TRGS safety data sheet.	on: 900 (MAK list) was used as the basis for the preparation and/or revision of t	
The usual precautiona	stuffs, beverages and feed.	

Use a moisturising skin cream after processing the product.



Printing date 07.02.2020

according to 1907/2006/EC, Article 31

Printing date 07.02.2020

veb

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

(Contd. of page 4)

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Short term filter device: Filter P2. Protection of hands: Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves Nitrile impregnated cotton gloves complying with the standard EN 374-1. Recommended thickness of the material: ≥ 0.15 mm The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material Breakthrough time: > 480 min The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties

General Information	
Appearance: Form:	Powder
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	>12.0 (DIN 19261)
	In water
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	(Contd. on pag

according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidising properties	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not applicable.	
Bulk density:	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water at 20 °C:	1.5 g/I Zement	
Segregation coefficient (n-octanol/wa	ater) log	
Pow:	Not determined.	
Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
EU-VOC (%)	0.00 %	
EU-VOC (g/L)	0.0 g/l	
Solids content:	100.0 %	
9.2 Other information	None.	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Value Components Type Species

CAS: 65997-15-1 cement, portland, white

Dermal LD50 >2,000 mg/kg (Rabbit)

(Contd. on page 7)



EUG

according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

(Contd. of page 6)

CAS: 1317-65-3 limestone Oral |LD50|>5,000 mg/kg (Rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met. **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

CAS: 1317-65-3 limestone

LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Remark: The product causes a significant pH change. Neutralise before introduction. **Additional ecological information:**

General notes: Do not allow product to reach ground water, water course or sewage system. **12.5 Results of PBT and vPvB assessment**

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

(Contd. on page 8)

FUG



according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 1

Trade name weber.mix 617 hell

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

10 13 11 wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

10 13 14 waste concrete and concrete sludge

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. **Recommended cleaning agent:**

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 1

Revision: 07.02.2020

Trade name weber.mix 617 hell

(Contd. of page 8)

FUG

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm), it doesn't need a reducing agent

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage.

H335 May cause respiratory irritation. Department issuing SDS: Product safety department. Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered. According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

