Revision: 15.06.2021



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 15.06.2021

Version number 2 (replaces version 1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weber.floor 4520

Safety data sheet no.: 49PM20368

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number: Telefon: +49(0)6131-19240

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms





GHS05 GHS07

### Signal word Danger

### Hazard-determining components of labelling:

cement portland, grey calcium dihydroxide

### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

### **Precautionary statements**

P101

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)



### according to 1907/2006/EC, Article 31

Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

### Trade name weber.floor 4520

(Contd. of page 1)

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103

Wear protective gloves/protective clothing/eye protection/face protection. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

### 2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Ready-mixed mortar with Portland cement

Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey  Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203  Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	50-75%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45- xxxx	calcium dihydroxide ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19- xxxx	sodium carbonate  © Eye Irrit. 2, H319	1-2%

### **SVHC** Void

### Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

### Trade name weber.floor 4520

### After eye contact

(Contd. of page 2)

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding

### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

### 5.3 Advice for firefighters

**Protective equipment:** Use methods suitable to surrounding conditions.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- **6.4 Reference to other sections** See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

### Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.



Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

Trade name weber.floor 4520

(Contd. of page 3)

# SECTION 8: Exposure controls/personal protection 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs			
CAS: 130	CAS: 1305-62-0 calcium dihydroxide		
Inhalative	Derived No Effect Level	4 mg/m³ (worker local short term value)	
		1 mg/m³ (worker local long term value)	
		1 mg/m³ (consumer local long term value)	
		4 mg/m³ (consumer local short term value)	

# PNECs CAS: 1305-62-0 calcium dihydroxide

Predicted No Effect Concentration | 9.32 mg/l (sea water rating factor)

0.49 mg/l (fresh water rating factor)

# CAS No. Designation of material % Type Value Unit

# CAS: 65997-15-1 cement portland, grey

AGW (Germany) Long-term value: 5 E mg/m³

DFG

LEP (Spain) Long-term value: 4 mg/m<sup>3</sup>

fracción respirable: e, d

TWA (Italy) Long-term value: 1 mg/m³

(e, j), A4

VLE (Portugal) Long-term value: 1 mg/m³

Fração resp.;A4,função pulm.,sintomas resp.,asma

HTP (Finland) Long-term value: 5\* 1\*\* mg/m³

\*hengittyvä pöly, \*\*alveolijae

### CAS: 1305-62-0 calcium dihydroxide

IOELV (European Union) | Short-term value: 4 mg/m³

Long-term value: 1 mg/m³

Respirable fraction

AGW (Germany) Long-term value: 1E mg/m<sup>3</sup>

2(I);Y, EU, DFG

GV (Denmark) Long-term value: 5 1\* mg/m³

E; \*respirabel fraktion

LEP (Spain) Long-term value: 4 mg/m³, 1 ppm

fracción resp., VLI, d

TWA (Italy)

Long-term value: 5 mg/m³

VL (Italy)

Short-term value: 4\* mg/m³

Long-term value: 1\* mg/m³

\*fraziona tarasias

\*frazione toracica

VLE (Portugal) Long-term value: 5 mg/m³

Irritação ocular, do TRS, cutânea

OEL (Sweden) Short-term value: 4 mg/m<sup>3</sup>

Long-term value: 1 mg/m³

HTP (Finland)
Short-term value: 4 mg/m³
Long-term value: 1 mg/m³

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

Trade name weber.floor 4520

(Contd. of page 4)

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

# Individual protection measures, such as personal protective equipment

### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

#### Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

### **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### **Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material: > 0.15 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level < 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles **Body protection**: Protective work clothing.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**General Information** 

**Colour:** According to product specification

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and

**boiling range** Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable

**Auto-ignition temperature:** Product is not selfigniting.

**Decomposition temperature:** Not determined.

(Contd. on page 6)



Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

Trade name weber.floor 4520

Oxidising solids

Organic peroxides

Corrosive to metals

(Contd. of page 5) pH at 20 °C > 12.0 (DIN 19261) In water Viscosity: Kinematic viscosity Not applicable. dynamic: Not applicable. Solubility Water at 20 °C: 1.5 g/l Partition coefficient n-octanol/water (log Not determined. value) Vapour pressure: Not applicable. Density and/or relative density Density: Not applicable. **Bulk density:** Not determined. Vapour density Not applicable. **Particle characteristics** See item 3. 9.2 Other information None. Appearance: Form: Powder Important information on protection of health and environment, and on safety. **Ignition temperature:** Not determined. **Explosive properties:** Product does not present an explosion hazard. Minimum ignition energy Solvent content: Organic solvents: 0.0 % **EU-VOC (%)** 0.00 % EU-VOC (g/L)  $0.0 \, g/l$ **Solids content:** 100.0 % Change in condition Softening point/range Not determined. Oxidising properties **Evaporation rate** Not applicable. Information with regard to physical hazard classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void

Void

Void

Void

(Contd. on page 7)



Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

Trade name weber.floor 4520

(Contd. of page 6)

Desensitised explosives Void

### **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Туре	Value	Species	
CAS: 65	CAS: 65997-15-1 cement portland, grey				
Dermal	Dermal LD50 >2,000 mg/kg (Rabbit)				
CAS: 90	03-53	-6 polystyrene			
Oral	LD50	>2,000 mg/kg (Rat)			
Dermal	LD50	>2,000 mg/kg (Rabbit)			
CAS: 13	CAS: 1305-62-0 calcium dihydroxide				
Oral	LD50	>2,000 mg/kg (Rat)			
Dermal	LD50	>2,500 mg/kg (Rabbit)			

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

### **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

(Contd. on page 8)



Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

#### Trade name weber.floor 4520

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

The product contains substances which causes severe clouding in water

### Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment	
CAS: 1305-62-0 calcium dihydroxide	
EC 50 (3h) 300.4 mg/l (Activated sludge)	

**Remark:** The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

		wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10	
ſ	10 13 14	3 14 waste concrete and concrete sludge	

### **Uncleaned packaging:**

### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

### Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

EUG



according to 1907/2006/EC, Article 31

Revision: 15.06.2021 Printing date 15.06.2021 Version number 2 (replaces version 1)

Trade name weber.floor 4520

(Contd. of page 8)

SECTION 14: Transport informat	ion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

Causes skin irritation. H315

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 10)



Printing date 15.06.2021 Version number 2 (replaces version 1) Revision: 15.06.2021

Trade name weber.floor 4520

(Contd. of page 9)

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 1

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.