according to 1907/2006/EC, Article 31

Printing date 10.12.2021

Version number 5 (replaces version 4)

Revision: 10.12.2021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.floor Blitzharz easy Komp.B

Safety data sheet no.: 49PX20469-b 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Reaction resin Isocyanate resin

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint Gobain Weber GmbH
Schanzenstr. 84
D-40549 Düsseldorf
+49(0)211/91369-0
email: Produktsicherheit@sg-weber.de
1.4 Emergency telephone number: Telefon: +49(0)6131-19240

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Gł

GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms** 



Signal word Danger





according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

#### Trade name weber.floor Blitzharz easy Komp.B

(Contd. of page 1) Hazard-determining components of labelling: diphenylmethanediisocyanate, isomeres and homologues **Hazard statements** H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. **Precautionary statements** P261 Avoid breathing mist/vapours/spray. Use personal protective equipment as required. P281 P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If experiencing respiratory symptoms: Call a POIŠON CENTER/doctor. P342+P311 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	50-100%
EC number: 618-498-9	& Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	-
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin	
	Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ %	
	Eye Irrit. 2; H319: C ≥ 5 %	
	Resp. Sens. 1; H334: C ≥ 0.1 %	
	STOT SE 3; H335: C ≥ 5 %	

Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

FUG



according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Trade name weber.floor Blitzharz easy Komp.B

(Contd. of page 2)

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Hydrogen cyanide (HCN)

Carbon monoxide (CO)

#### Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

#### Protective equipment:

Wear self-contained respiratory protective device.

#### Wear fully protective suit.

#### Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- EUG



according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

#### Trade name weber.floor Blitzharz easy Komp.B

(Contd. of page 3)

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Contact with copper and copper alloys and galvanized surfaces must be avoided.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material	%	Type	Value Unit
one no. Designation of material	/0	1 9 9 0	

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

AGW (Germany)	Long-term value: 0.05 E mg/m³ 1;=2=(I);DFG, H, Sah, Y, 12
LEP (Spain)	Long-term value: 0.05 E mg/m³ 1;=2=(I);DFG, H, Sah, Y, 12 Long-term value: 0.05* mg/m³ *vía dérmica, Sen,*Propuesta de modificación
	Short-term value: 0.035 mg/m³ NCO

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

(Contd. on page 5)





according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

Trade name weber.floor Blitzharz easy Komp.B

Boiling point or initial boiling point and boiling

Lower and upper explosion limit


Auto-ignition temperature:

range

Lower:

Upper:

Flash point:



> 200 °C (DIN)

Not determined.

Not determined.

> 100 °C (DIN ISO 2592)

Product is not selfigniting.

(Contd. on page 6)

EUG

# Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

### Trade name weber.floor Blitzharz easy Komp.B

	(Contd. of page
Decomposition temperature:	Not determined.
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 25 °C:	160 mPas
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log va	lue) Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 25 °C:	1.12 g/cm³
Bulk density:	Not applicable.
Vapour density	Not determined.
· ·	News
9.2 Other information	None.
Appearance:	
Form:	Fluid
Important information on protection of he	aith
and environment, and on safety.	500 % O
Ignition temperature:	530 ° C
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not determined
Solvent content:	2.2.2/
Organic solvents:	0.0 %
EU-VOC (%)	0.00 %
EU-VOC (g/L)	0.0 g/l
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.
Information with regard to physical haz	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void



according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

#### Trade name weber.floor Blitzharz easy Komp.B

**Desensitised explosives** 

Void

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

#### 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

#### 10.3 Possibility of hazardous reactions

Can react violently with oxygen rich (oxidizing) material.

Danger of Explosion.

Corrodes copper and brass

Exothermic reaction with amines and alcohols. CO2 generation with water; pressure build-up (danger of bursting) in closed containers.

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials:

Oxydising agents.

Strong acids and strong bases.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Harmful if inhaled.

LD/LC50 values relevant for classification:

Compone	nts	Туре	Value	Species
CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues				
Oral	LD50	>2,000 mg/kg (Rat	)	
Dermal	LD50	>10,000 mg/kg (Ra	abbit)	
Inhalative	LC50/4 h	0.49 mg/l (Rat)		
Skin corrosion/irritation Causes skin irritation.				
	Serious eye damage/irritation Causes serious eye irritation.			
Respirato	Respiratory or skin sensitisation			
May cause	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
May cause	May cause an allergic skin reaction.			
Germ cell	Germ cell mutagenicity Based on available data, the classification criteria are not met.			
Carcinoge	Carcinogenicity Suspected of causing cancer.			
Reproduc	Reproductive toxicity Based on available data, the classification criteria are not met.			
STOT-sin	STOT-single exposure May cause respiratory irritation.			
STOT-rep	STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.			
	Aspiration hazard Based on available data, the classification criteria are not met.			
	11.2 Information on other hazards			
Endocrine	e disruptir	ng properties		
None of th	e ingredie	nts is listed.		

(Contd. on page 8)

FUG



Printing date 10.12.2021

(Contd. of page 6)

according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

Trade name weber.floor Blitzharz easy Komp.B

(Contd. of page 7)

# **SECTION 12: Ecological information**

12.1 Toxicity

Printing date 10.12.2021

Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

#### CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

LC0/96h >1,000 mg/l (Fish)

EC50/24h >1,000 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

#### Recommendation

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly

hazardous waste.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

08 05 01*	08 05 01* waste isocyanates	
HP4 Irritant - skin irritation and eye damage		
HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
HP7 Carcinogenic		
HP13	Sensitising	

Uncleaned packaging:

**Recommendation:** 

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

Trade name weber.floor Blitzharz easy Komp.B

(Contd. of page 8)

SECTION 14: Transport information	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	i <b>ng to</b> Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56a

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)



EUG

according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 10.12.2021

(Contd. of page 9)

#### Trade name weber.floor Blitzharz easy Komp.B

National regulations

Printing date 10.12.2021

Other regulations, limitations and prohibitive regulations

BG-Merkblätter: M 044 "Polyurethane production/Isocyanates"

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- May cause damage to organs through prolonged or repeated exposure. H373

EUH204 Contains isocyanates. May produce an allergic reaction.

#### Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

#### Version number of previous version: 4

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

\* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

