

Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weber.rep 766 Komp.A

Safety data sheet no.: 49PX20298-a

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Epoxy resin adhesive

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number: Telefon: +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl] phenoxy}methyl)oxirane

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

Determination of	f endocrine-disrupting properties	
CAS: 1675-54-3	2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	List II
	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Reaction resin based on bisphenol-A and F

Dangerous components: CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx CAS: 68609-97-2 EINECS: 271-846-8 Index number: 603-103-00-4 Reg.nr.: 01-2119485289-22-xxxx EC number: 701-263-0 Reg.nr.: 01-2119454392-40-xxxx EC number: 701-263-0 Reg.nr.: 01-2119454392-40-xxxx Reg.nr.: 01-2119454392-40-xxxx EXAMPLE AND THE		· · · · · · · · · · · · · · · · · · ·	
EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx Reg.nr.: 01-2119456619-26-xxxx Aquatic Chronic 2, H411;	Dangerous components:		
EINECS: 271-846-8 Index number: 603-103-00-4 Reg.nr.: 01-2119485289-22-xxxx EC number: 701-263-0 Reg.nr.: 01-2119454392-40-xxxx Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane Alternative CAS number: 9003-36-5 Aquatic Chronic 2, H411; Skin Sens. 1, H317	EINECS: 216-823-5 Index number: 603-073-00-2	phenyleneoxymethylene)]bisoxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %	≥10-<25%
Reg.nr.: 01-2119454392-40-xxxx phenyleneoxymethylene)]bis(oxirane) and 2,2'- [methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane Alternative CAS number: 9003-36-5 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye	EINECS: 271-846-8 Index number: 603-103-00-4		2-5%
		phenyleneoxymethylene)]bis(oxirane) and 2,2'- [methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane Alternative CAS number: 9003-36-5 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye	1-2%



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

SVHC Void

(Contd. of page 2)

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor None

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

(Contd. on page 4)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

(Contd. of page 3)

6.2 Environmental precautions:

The product must not get into watercourses or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Do not store together with acids.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs						
CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane						
Oral	Derived No Effect Level	0.5 mg/kgxday (consumer systemic long term value)				
Dermal	Derived No Effect Level	0.75 mg/kgxday (worker systemic long term value)				
		0.0893 mg/kgxday (consumer systemic long term value)				
Inhalative	Derived No Effect Level	4.93 mg/m³ (worker systemic long term value)				
		0.87 mg/m³ (consumer systemic long term value)				
CAS: 686	CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs					
Oral	Derived No Effect Level	0.5 mg/kgxday (consumer systemic long term value)				
Dermal	Derived No Effect Level	1 mg/kgxday (worker systemic long term value)				
		0.5 mg/kgxday (consumer systemic long term value)				
		(Contd. on page 5				

(Contd. on page 5)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

			(Contd. of page
Inhalative	Derived No Effe	ct Level	3.6 mg/m³ (worker systemic long term value)
			0.87 mg/m³ (consumer systemic long term value)
[methylen		leneoxy	ebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-methylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)
Oral	Derived No Effe	ct Level	6.25 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effe	ct Level	104.15 mg/kgxday (worker systemic long term value)
			6.25 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effe	ct Level	29.39 mg/m³ (worker systemic long term value)
			8.7 mg/m³ (consumer systemic long term value)
CAS No	o. Designation o	of materi	ial % Type Value Unit
CAS: 1480	08-60-7 Silicon	dioxide	(Quartz sand)
BOELV (E	uropean Union)		rm value: 0.1* mg/m³
	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		ble fraction
alveolen GV (Denmark) Long-ter *total:,** LEP (Spain) TWA (Italy) VLE (Portugal) OEL (Sweden) Long-ter Resp.;A Long-ter Resp.;A			rm value: 0.05 mg/m³ ngängige Fraktion
			rm value: 0.3* 0.1** mg/m³ 'total, respirabel, EK
			rm value: 0.05 mg/m³ on resp:n,d,y
			rm value: 0.025 mg/m³
			rm value: 0.025 mg/m³ .2; fibrose pulmonar; cancro do pulmão
			rm value: 0.1 mg/m³ espirabel fraktion
HTP (Finla			rm value: 0.05 0.1* mg/m³ ie;*sitovat raja-arvot, pöly
CAS: 167	5-54-3 2,2'-[(1-m	ethyleth	nylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane
MAK (Ger	many)	vgl. Abs	chn IIb

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

(Contd. of page 5)

Short term filter device:

Filter A2

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: \geq (Butyl) 0.7mm; (NBR) 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range 201 °C

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

Flash point: > 100 °C

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: pHNot determined.
Not applicable.

Viscosity:

Kinematic viscosity

dynamic:

Not determined.

Not determined.

Solubility

Water: Unsoluble
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 1.85 g/cm³

Bulk density: Not applicable.

(Contd. on page 7)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

(Contd. of page 6)

Vapour density Not determined.

9.2 Other information None.

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Ignition temperature: >400 °C

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not determined

EU-VOC (%) 0.00 % EU-VOC (g/L) 0.0 g/l

Change in condition

Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous reactions

Exothermic polymerisation.

Reacts with alcohols, amines, aqueous acids and alkalis

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

10.6 Hazardous decomposition products: Irritant gases/vapours

(Contd. of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Compo	nents	Type \	/alue	Species
CAS: 16	675-54	-3 2,2'-[(1-methylethylidene	bis(4,1	-phenyleneoxymethylene)]bisoxirane
Oral	LD50	>15,000 mg/kg (Rat)		
Dermal	LD50	>23,000 mg/kg (Rat)		
CAS: 68	3609-9	7-2 oxirane, mono[(C12-14-	alkyloxy	y)methyl] derivs
Oral	LD50	26,800 mg/kg (Rat)		
Dermal	LD50	>4,000 mg/kg (Rabbit)		
		26,800 mg/kg (Rat)		
[methyl	enebis	s of 2,2'-[methylenebis(2,1- s(4,1-phenyleneoxymethyle xy}methyl)oxirane	phenyle ne)]bis(eneoxymethylene)]bis(oxirane) and 2,2'- oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)
Oral	LD50	>5,000 mg/kg (Rat)		
Dermal	LD50	>2,000 mg/kg (Rat)		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting p	properties	
CAS: 1675-54-3 2,2'-[(1	-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	List II
and 2,2	on mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) 2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane	

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

(Contd. on page 9)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

(Contd. of page 8)

	(Contd. of page 8)					
Type of test	Effective concentration Method Assessment					
CAS: 1675-5	4-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane					
IC50/72h	1.7-1.8 mg/l (Fish)					
LC50/96h	1.2-3.6 mg/l (Fish)					
EC50/48h	1.1-2.8 mg/l (Daphnia magna)					
EC50/72h	9.4-11 mg/l (Algae)					
NOEC (72h)	2.4-4.2 mg/l (Algae)					
NOEC (21d)	0.3 mg/l (Daphnia magna)					
CAS: 68609-	97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs					
LC50/96h	>100 mg/l (Fish)					
EC50/48h	7.2 mg/l (Daphnia magna)					
NOEC (72h)	500 mg/l (Algae)					
[methyleneb	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'- [methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane					
LC50/48h	2.55 mg/l (Fish)					
EC50/48h	1.6-3.5 mg/l (Daphnia magna)					
EC50/72h	1.8 mg/l (Algae)					
, ,	0.3 mg/l (Daphnia magna)					

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

EBAB 3.242 log Pow

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane

EBAB 3.6 log Pow (Bioaccumulation)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark: Harmful to fish

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment				
CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane				
EC 50 (3h) 100 mg/l (Activated sludge)				
CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs				
EC 50 (3h) 100 mg/l (Activated sludge)				

(Contd. on page 10)



Revision: 14.10.2021 Printing date 14.10.2021 Version number 3 (replaces version 2)

Trade name weber.rep 766 Komp.A

(Contd. of page 9)

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy) benzyl]phenoxy}methyl)oxirane

EC 50 (3h) 100 mg/l (Activated sludge)

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the

ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Curing of the product by mixing with the curing component. Cured epoxy resin products are waste that requires no particular supervision and can as a rule be disposed of as commercial waste that is similar to household rubbish.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

07 02 08* other still bottoms and reaction residues

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

(Contd. on page 11)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

(Contd. of page 10)

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 2

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 12)



Printing date 14.10.2021 Version number 3 (replaces version 2) Revision: 14.10.2021

Trade name weber.rep 766 Komp.A

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

(Contd. of page 11)

UG.