Revision: 02.05.2022



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2022

Version number 3 (replaces version 2)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weber.xerm 850 Plus

Safety data sheet no.: 49PD21369

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Tile adhesive

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf

+49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number: Telefon: +49 (0) 6131 - 19240

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## **Hazard pictograms**





GHS05 GHS07

#### Signal word Danger

#### Hazard-determining components of labelling:

cement portland, grey

### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

#### Trade name weber.xerm 850 Plus

(Contd. of page 1)

H335 May cause respiratory irritation.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT**: Does not contain PBT substances. **vPvB**: Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Ready-mixed mortar with Portland cement

| Dangerous components:   |  |          |
|---|--|----------|
| CAS: 14808-60-7<br>EINECS: 238-878-4                              | Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit  | 50-75%   |
| CAS: 65997-15-1<br>EINECS: 266-043-4                              | cement portland, grey  Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203  Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 %  Eye Dam. 1; H318: C ≥ 1 % | 25-50%   |
| CAS: 68475-76-3<br>EINECS: 270-659-9<br>Reg.nr.: 01-2119486767-17 | Flue dust, portland cement  Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens.  7-xxxx 1, H317; STOT SE 3, H335   | ≥0.1-<1% |

#### **SVHC** Void

#### **Additional information**

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

## After skin contact

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

#### Trade name weber.xerm 850 Plus

If skin irritation continues, consult a doctor.

(Contd. of page 2)

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### Information for doctor None

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions

5.2 Special hazards arising from the substance or mixture No further relevant information available.

### 5.3 Advice for firefighters

**Protective equipment:** Use methods suitable to surrounding conditions.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Avoid formation of dust.

Ensure adequate ventilation.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

## 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

## Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

(Contd. on page 4)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

#### Trade name weber.xerm 850 Plus

(Contd. of page 3)

## Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| CAS No. Designation of material % Type Value Unit |  |  |  |
|---|--|--|--|
| CAS: 14808-60-7 Silicon dioxide (Quartz sand)     |  |  |  |
| BOELV (European Union)                            | Long-term value: 0.1* mg/m³ *respirable fraction                             |  |  |
| MAK (Germany)                                     | Long-term value: 0.05 mg/m³<br>alveolengängige Fraktion                      |  |  |
| GV (Denmark)                                      | Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK            |  |  |
| LEP (Spain)                                       | Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y                             |  |  |
| TWA (Italy)                                       | Long-term value: 0.025 mg/m³ A2, (j)   |  |  |
| VLE (Portugal)                                    | Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão    |  |  |
| OEL (Sweden)                                      | Long-term value: 0.1 mg/m³ C, M, respirabel fraktion                         |  |  |
| HTP (Finland)                                     | Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly        |  |  |
| CAS: 65997-15-1 cement                            | portland, grey   |  |  |
| AGW (Germany)                                     | Long-term value: 5 E mg/m³ DFG   |  |  |
| LEP (Spain)                                       | Long-term value: 4 mg/m³ fracción respirable: e, d                           |  |  |
| TWA (Italy)                                       | Long-term value: 1 mg/m³ (e, j), A4  |  |  |
| VLE (Portugal)                                    | Long-term value: 1 mg/m³<br>Fração resp.;A4,função pulm.,sintomas resp.,asma |  |  |
| HTP (Finland)                                     | Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae                 |  |  |

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.

(Contd. on page 5)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

#### Trade name weber.xerm 850 Plus

(Contd. of page 4)

# Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

## Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

## **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## **Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material:  $\geq$  ca. 0.15 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level < 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles **Body protection:** Protective work clothing.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical stateSolid.Colour:GreyOdour:OdourlessOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable

(Contd. on page 6)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

Trade name weber.xerm 850 Plus

(Contd. of page 5)

Ignition temperature:

Decomposition temperature:

pH at 20 °C

Not determined.

Not determined.

>12.0 (DIN 19261)

In water

Viscosity:

**Kinematic viscosity dynamic:**Not applicable.
Not applicable.

Solubility

Water at 20 °C: 1.5 g/l Zement
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not applicable.

Density and/or relative density

Density:Not applicable.Bulk density at 20 °C:1400 kg/m³Vapour densityNot applicable.Particle characteristicsSee item 3.

**9.2 Other information** None.

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

Void

Void

Minimum ignition energy

Solvent content:

 Organic solvents:
 0.0 %

 EU-VOC (%)
 0.0000 %

 EU-VOC (g/L)
 0.0000 g/l

 Solids content:
 100.0 %

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not applicable.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit

flammable gases in contact with water

**Oxidising liquids** 

(Contd. on page 7)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

Trade name weber.xerm 850 Plus

(Contd. of page 6)

| Void |
|------|
| Void |
| Void |
| Void |
|      |

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Components                            | Туре | Value | Species |  |
|---------------------------------------|------|-------|---------|--|
| CAS: 65997-15-1 cement portland, grey |      |       |         |  |
| Dermal LD50 >2,000 mg/kg (Rabbit)     |      |       |         |  |

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eve damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

## **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

(Contd. on page 8)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

Trade name weber.xerm 850 Plus

(Contd. of page 7)

**12.2 Persistence and degradability** The product is not biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

#### Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Remark: The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

| 10 13 14 | 10 13 14 waste concrete and concrete sludge  |  |  |
|----------|--|--|--|
| 10 13 11 | wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10 |  |  |

## **Uncleaned packaging:**

#### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

### Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

| SECTION 14: Transport information                    |      |  |
|--|------|--|
| 14.1 UN number or ID number<br>ADR, ADN, IMDG, IATA  | Void |  |
| 14.2 UN proper shipping name<br>ADR, ADN, IMDG, IATA | Void |  |
| 14.3 Transport hazard class(es)                      |      |  |
| ADR, ADN, IMDG, IATA<br>Class                        | Void |  |

(Contd. on page 9)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

Trade name weber.xerm 850 Plus

|   | (Contd. of page 8                                    |
|---|--|
| 14.4 Packing group<br>ADR, IMDG, IATA                     | Void   |
| 14.5 Environmental hazards:                               | Not applicable.                                      |
| 14.6 Special precautions for user                         | Not applicable.                                      |
| 14.7 Maritime transport in bulk according IMO instruments | ng to<br>Not applicable.                             |
| Transport/Additional information:                         | Not dangerous according to the above specifications. |
| UN "Model Regulation":                                    | Void   |

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)



Printing date 02.05.2022 Version number 3 (replaces version 2) Revision: 02.05.2022

#### Trade name weber.xerm 850 Plus

(Contd. of page 9)

### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

### Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

### Version number of previous version: 2

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG