Revision: 07.03.2022



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2022

Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name weber.fug 880

Safety data sheet no.: 49PX20226

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Spacings sealent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number: Telefon: +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

(Contd. on page 2)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

Dangerous components:	(Co	ntd. of page 1
CAS: 17689-77-9 EINECS: 241-677-4 Reg.nr.: 01-2119881778-15-xxxx	triacetoxyethylsilane Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302, EUH014	≥1 – <5%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45-xxxx	2-Octyl-2H-isothiazol-3-on	<0.1%

SVHC Void

Additional information

For the wording of the listed hazard phrases refer to section 16.

During curing of the product, the following substances are generated and released by reaction with atmospheric moisture :

Acetic acid

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor None

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available. (Contd. on page 3)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

(Contd. of page 2)

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

Do not allow product to reach sewage system or any water course.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store away from oxidizing agents.

Protect from heat and direct sunlight.

Recommended storage temperature: 5-30°C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

n	NI	E	l e

CAS: 17689-77-9 triacetoxyethylsilane

Oral Derived No Effect Level 5.7 mg/kgxday (consumer systemic long term value)

(Contd. on page 4)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

			(Contd. of page 3)
Dermal	Derived No Effect Level	11.39 mg/kgxday (worker systemic long term value)	
		5.7 mg/kgxday (consumer systemic long term value)	
Inhalative	Derived No Effect Level	80.33 mg/m³ (worker systemic long term value)	
		19.81 mg/m³ (consumer systemic long term value)	

Additional information:

CAS: 64-19-7

The following substances are released during the processing:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

EINECS: 200-580-7 Index number: 607-002-00-6

Index number: 607-002-00-6 Reg.nr.: 01-2119475328-30-xxxx

acetic acid Flam. Liq. 3, H226; Skin Corr. 1A, H314

Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 %

Skin Corr. 1B; H314: $25 \% \le C < 90 \%$ Skin Irrit. 2; H315: $10 \% \le C < 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin. Do not eat or drink while working.

Respiratory protection: Not necessary if room is well-ventilated.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ (Butyl) 0.3 mm; (Nitril) 0.1 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min

Value for the permeation: Level ≤ 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses.

Body protection: Protective work clothing.

- EUG



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:>100 °C

Ignition temperature:Not determined.Decomposition temperature:Not determined.pHNot applicable.

Viscosity:

Kinematic viscosity dynamic:Not determined.
Not determined.

Solubility

Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Not determined.

Density and/or relative density

Density at 20 °C:

Bulk density:

Vapour density

1.015 g/cm³

Not applicable.

Not determined.

9.2 Other information None.

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:

EU-VOC (%)

EU-VOC (g/L)

Not determined
<0.1000 %
<1.0150 g/l

Change in condition

Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

ExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoid

(Contd. on page 6)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

		(Contd. of page 5)
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.
- 10.5 Incompatible materials: Oxydising agents.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 17689-77-9 triad	etoxyethylsilan	е	
Oral LD50 >1,460 mg	g/kg (Rat) (OECD	401)	

Skin corrosion/irritation

Based on test data, this mixture was classified as less stringent in comparison with the calculation method.

not irritating to skin

not irritating to eyes

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on test data. Skin sensitisation not classified

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

(Contd. of page 6)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test	Type of test Effective concentration Method Assessment		
CAS: 17689	CAS: 17689-77-9 triacetoxyethylsilane		
LC50/48h	410-533 mg/l (Fish)		
EC50/48h	65-168.7 mg/l (Daphnia magna)		
EC50/72h	23.03-210 mg/l (Algae)		
NOEC (21d)	100 mg/l (Daphnia magna)		

12.2 Persistence and degradability A part of the components is biodegradable.

	- · · · · · · · · · · · · · · · · · · ·
Me	thod
CA	S: 17689-77-9 triacetoxyethylsilane
Bio	d. (28d) 74 % (Biodegradation)
12.	3 Bioaccumulative potential
CA	S: 17689-77-9 triacetoxyethylsilane
EB	AB 0.74 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment
CAS: 17689-77-9 triacetoxyethylsilane
EC 50 (3h) 100 mg/l (Activated sludge)

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

(Contd. on page 8)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

European waste catalogue

(Contd. of page 7)

Possible waste code. The concrete waste code depends on the source of the waste.

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	ion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 9)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

(Contd. of page 8)

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid an	d vapour.
--------------------------	-----------

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH014 Reacts violently with water.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 4

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

(Contd. on page 10)



Printing date 10.03.2022 Version number 5 (replaces version 4) Revision: 07.03.2022

Trade name weber.fug 880

(Contd. of page 9)

Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.