according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 2 (replaces version 1)

Revision: 29.04.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.therm armadura base

Safety data sheet no.: 49PM21319 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Ready-to-use mortar

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint Gobain Weber GmbH
Schanzenstr. 84
D-40549 Düsseldorf
+49(0)211/91369-0
email: Produktsicherheit@sg-weber.de
1.4 Emergency telephone number: Telefon: +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

_ _ _ _ _ _ _ _ _ _ _ _



Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:
cement portland, grey
calcium dihydroxide
Hazard statements
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

(Contd. of page 1)

Precautionary sta	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362	Take off contaminated clothing.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
2.3 Other hazards	

2.3 Other ha zaras

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	50-75%
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	10-25%
CAS: 65997-15-1 EINECS: 266-043-4	 cement portland, grey ♦ Eye Dam. 1, H318; \$ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 % 	10-20%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide	≥3-<5%
CAS: 93763-70-3 EC number: 618-970-4	Perlite substance with a Community workplace exposure limit	1-2%
CAS: 68475-76-3 EINECS: 270-659-9 Reg.nr.: 01-2119486767-17-xxxx	Flue dust, portland cement Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%

SVHC Void

Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelflife, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

(Contd. on page 3) - EUG



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Printing date 29.04.2022

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eve contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed. Prevent formation of dust.



(Contd. of page 2)

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

(Contd. of page 3)

Trade name weber.therm armadura base

Provide suction extractors if dust is formed. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 1305-62-0 calcium dihydroxide				
Inhalative	Derived No Effect Level	4 mg/m ³ (worker local short term value)		
		1 mg/m³ (worker local long term value)		
		1 mg/m³ (consumer local long term value)		

4 mg/m³ (consumer local short term value)

PNECs

CAS: 1305-62-0 calcium dihydroxide				
Predicted No-Effect Concentration	9.32 mg/l (sea water rating factor)			
	0.49 mg/l (fresh water rating factor)			

CAS No. Designation of material % Type Value Unit					
CAS: 14808-60-7 Silicon dioxide (Quartz sand)					
BOELV (European Union) Long-term value: 0.1* mg/m ³					
*respirable	fracti	on			

, , , , , , , , , , , , , , , , , , ,	*respirable fraction
MAK (Germany)	Long-term value: 0.05 mg/m³ alveolengängige Fraktion
GV (Denmark)	Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)
VLE (Portugal)	Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion
	(Contra on none F

(Contd. on page 5)



EUG

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

(e) CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG Long-term value: 4 mg/m³ TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 Long-term value: 1 mg/m³ VLE (Portugal) Long-term value: 1 mg/m³ Fração resp:A4, função pulm., sintomas resp., asma TP TP (Finland) Long-term value: 5* 1** mg/m³ Thengittyvà pöly, **alveolijae CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 1 mg/m³ CAGW (Germany) Long-term value: 1 mg/m³ AGW (Germany) Long-term value: 1 mg/m³ CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 5 1* mg/m³ Clog-term value: 5 1* mg/m³ E; "respirabel fraction LEP (Spain) Long-term value: 5 mg/m³ LEP (Spain) Long-term value: 5 mg/m³ Leng-term value: 5 mg/m³ Irracion teracia VLE (Portugal) Long-term value: 5 mg/m³ Lirrazione toracia mg/m³ VLE (Portugal) Long-term value: 5 mg/m³ Long	HTP (Finland)	(Contd. of pa Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly
(e) CAS: 65997-15-1 cement portland, grey AGW (Germany) Long-term value: 5 E mg/m³ DFG .EP (Spain) Long-term value: 4 mg/m³ fracción respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ (e, j), A4 Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma HTP (Finland) Long-term value: 5* 1** mg/m³ Thengittyva pöly, **alveolijae CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 5 1* mg/m³ Respirable fraction AGW (Germany) Long-term value: 5 1* mg/m³ QGV (Denmark) Long-term value: 5 1* mg/m³ E; respirable fraction AGW (Germany) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 5 mg/m³ VL (Denmark) Long-term value: 5 mg/m³ Leng-term value: 5 mg/m³ Treação ocular, do TRS, cutânea VL (Italy) Short-term value: 5 mg/m³ VL (Italy) Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ <td>CAS: 1317-65-3 calcium</td> <td>carbonate</td>	CAS: 1317-65-3 calcium	carbonate
AGW (Germany) Long-term value: 5 E mg/m³ DFG LEP (Spain) Long-term value: 4 mg/m³ fraccion respirable: e, d TWA (Italy) Long-term value: 1 mg/m³ fraccion respirable: e, d Long-term value: 1 mg/m³ Fração resp., A4, função pulm., sintomas resp., asma HTP (Finland) Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 1 mg/m³ Nog-term value: 1 E mg/m³ Respirable fraction AGW (Germany) Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1 mg/m³ 2(I),Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ E; *respirable fraktion EP (Spain) Long-term value: 5 mg/m³ VL (Italy) Long-term value: 5 mg/m³ VL (Italy) Long-term value: 5 mg/m³ VLE (Portugal) Long-term value: 5 mg/m³ Long-term value: 1 mg/m³ Tracione toracica VLE (Portugal) Long-term value: 1 mg/m³ <td< td=""><td>TWA (Italy)</td><td></td></td<>	TWA (Italy)	
DFGLEP (Spain)Long-term value: 4 mg/m³ fracción respirable: e, dTWA (Italy)Long-term value: 1 mg/m³ (e, j), A4VLE (Portugal)Long-term value: 1 mg/m³ Fração resp.;A4, função pulm., sintomas resp., asmaHTP (Finland)Long-term value: 5* 1** mg/m³ "hengittyvă póly, **alveolijaeCAS: 1305-62-0 calcium dihydroxideOELV (European Union)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fractionAGW (Germany)Long-term value: 1E mg/m³ 	CAS: 65997-15-1 cement	portland, grey
fracčión respirable: e, dTWA (Italy)Long-term value: 1 mg/m³ (e, j), A4VLE (Portugal)Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asmaHTP (Finland)Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijaeCAS: 1305-62-0 calcium dihydroxideOELV (European Union)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fractionAGW (Germany)Long-term value: 1 mg/m³ 2(l);Y, EU, DFGOV (Denmark)Long-term value: 5 1* mg/m³ E; "respirable fractionLEP (Spain)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³ Long-term value: 5 mg/m³ Long-term value: 4 mg/m³ Long-term value: 5 mg/m³ Long-term value: 4 mg/m³ Long-term value: 1* mg/m³ E; "respirabel fractionLEP (Spain)Long-term value: 4 mg/m³ Long-term value: 4 mg/m³ Long-term value: 1* mg/m³ Long-term value: 1* mg/m³ Trazione toracicaVLE (Portugal)Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutâneaDEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoVLE (Portugal)Long-term value: 10 mg/m³ A44; IrritacaoVLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoVLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoVLE (Portugal)Long-term value: 10 mg/m³ A4; Irritacao	AGW (Germany)	Long-term value: 5 E mg/m³ DFG
(e, j), A4VLE (Portugal)Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asmaHTP (Finland)Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijaeCAS: 1305-62-0 calcium dihydroxideOELV (European Union)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ 	LEP (Spain)	
HTP (Finland)Fração resp.;A4,função pulm.,sintomas resp.,asmaHTP (Finland)Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijaeCAS: 1305-62-0 calcium dihydroxideOELV (European Union)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fractionAGW (Germany)Long-term value: 1 mg/m³ Respirable fractionAGW (Germany)Long-term value: 5 1* mg/m³ E; *respirabel fraktionLEP (Spain)Long-term value: 5 1* mg/m³ E; *respirabel fraktionLEP (Spain)Long-term value: 5 mg/m³ VL (Italy)VLE (Portugal)Long-term value: 4* mg/m³ Long-term value: 1* mg/m³ Long-term value: 5 mg/m³ Ung-term value: 5 mg/m³ Long-term value: 4* mg/m³ Long-term value: 1* mg/m³ Tritação ocular, do TRS, cutâneaDEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Tritação ocular, do TRS, cutâneaDEL (Sweden)Short-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 10 mg/m³ eCAS: 93763-70-3 Periite LEP (Spain)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoAdditional Occupational Exposure Limit Values for possible hazards during processing:	TWA (Italy)	
*hengittyvä pöly, **alveolijae CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1 E mg/m³ 2(I);Y, EU, DFG 3V (Denmark) Long-term value: 5 1* mg/m³ LEP (Spain) Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Long-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Long-term value: 1 mg/m³ Tritação ocular, do TRS, cutânea OEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Long-term value: 2 mg/m³ Long-term value: 1 mg/m³ EP (Spain) Long-term value: 10 mg/m³ CAS: 93763-70-3 Perlite LEP (Spain) Long-term value: 10 mg/m³ VLE (Portugal) Long-term value: 10 mg/m³ VLE (Portugal) Long-term value: 10 mg/m³	VLE (Portugal)	
OELV (European Union) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1E mg/m³ 2(I);Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ E; *respirabel fraktion LEP (Spain) Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d TWA (Italy) Long-term value: 4 mg/m³ frazione toracica VL (Italy) Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Long-term value: 1 mg/m³ *frazione toracica VLE (Portugal) Short-term value: 4 mg/m³ Long-term value: 4 mg/m³ Long-term value: 4 mg/m³ Long-term value: 4 mg/m³ Long-term value: 1 mg/m³ TPP (Finland) Short-term value: 4 mg/m³ Long-term value: 10 mg/m³ (CAS: 93763-70-3 Perlite EP (Spain) Long-term value: 10 mg/m³ (A4 (e)) VLE (Portugal) Long-term value: 10 mg/m³ (A4 (e)) VLE (Portugal) Long-term value: 10 mg/m³ (A4 (e)) VLE (Portugal) Long-term value: 10 mg/m³ (A4 (r)) VLE (Portugal) Long-term value: 10 mg/m³ (A4 (r))	HTP (Finland)	
Long-term value: 1 mg/m³ Respirable fractionAGW (Germany)Long-term value: 1E mg/m³ 2(I);Y, EU, DFGGV (Denmark)Long-term value: 5 1* mg/m³ E; *respirabel fraktionLEP (Spain)Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, dTWA (Italy)Long-term value: 5 mg/m³ Long-term value: 1* mg/m³ trazione toracicaVL (Italy)Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracicaVLE (Portugal)Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutâneaDEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³TTP (Finland)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; irritacaoAdditional Occupational Exposure Limit Values for possible hazards during processing:	CAS: 1305-62-0 calcium	dihydroxide
2(I);Y, EU, DFGGV (Denmark)Long-term value: 5 1* mg/m³ E; *respirabel fraktionLEP (Spain)Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, dTWA (Italy)Long-term value: 5 mg/m³ VL (Italy)VL (Italy)Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracicaVLE (Portugal)Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutâneaOEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³HTP (Finland)Short-term value: 1 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; Irritacao	IOELV (European Union)	Long-term value: 1 mg/m ³
E; *respirabel fraktionLEP (Spain)Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, dTWA (Italy)Long-term value: 5 mg/m³VL (Italy)Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracicaVLE (Portugal)Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutâneaDEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³HTP (Finland)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoAdditional Occupational Exposure Limit Values for possible hazards during processing:	AGW (Germany)	
fracción resp., VLI, dTWA (Italy)Long-term value: 5 mg/m³VL (Italy)Short-term value: 4* mg/m³Long-term value: 1* mg/m³*frazione toracicaVLE (Portugal)Long-term value: 5 mg/m³DEL (Sweden)Short-term value: 4 mg/m³DEL (Sweden)Short-term value: 1 mg/m³HTP (Finland)Short-term value: 4 mg/m³Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³EP (Spain)Long-term value: 10 mg/m³VLE (Portugal)Long-term value: 10 mg/m³Additional Occupational Exposure Limit Values for possible hazards during processing:	GV (Denmark)	
VL (Italy) Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ HTP (Finland) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ CAS: 93763-70-3 Perlite LEP (Spain) Long-term value: 10 mg/m³ FWA (Italy) Long-term value: (10) mg/m³ VLE (Portugal) Long-term value: 10 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during processing:	LEP (Spain)	
Long-term value: 1* mg/m³ *frazione toracicaVLE (Portugal)Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutâneaDEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³HTP (Finland)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ eTWA (Italy)Long-term value: 10 mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoAdditional Occupational Exposure Limit Values for possible hazards during processing:	TWA (Italy)	Long-term value: 5 mg/m³
Irritação ocular, do TRS, cutâneaOEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³HTP (Finland)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ eTWA (Italy)Long-term value: (10) mg/m³ (A4 (e))VLE (Portugal)Long-term value: 10 mg/m³ A4; IrritacaoAdditional Occupational Exposure Limit Values for possible hazards during processing:	VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³
HTP (Finland)Long-term value: 1 mg/m³ Short-term value: 4 mg/m³ Long-term value: 1 mg/m³CAS: 93763-70-3 PerliteLEP (Spain)Long-term value: 10 mg/m³ eLVMA (Italy)Long-term value: (10) mg/m³ 	VLE (Portugal)	
Long-term value: 1 mg/m³ CAS: 93763-70-3 Perlite LEP (Spain) Long-term value: 10 mg/m³ e TWA (Italy) Long-term value: (10) mg/m³ (A4 (e)) VLE (Portugal) Long-term value: 10 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during processing:	OEL (Sweden)	
LEP (Spain) Long-term value: 10 mg/m³ e Long-term value: (10) mg/m³ TWA (Italy) Long-term value: (10) mg/m³ (A4 (e)) Long-term value: 10 mg/m³ VLE (Portugal) Long-term value: 10 mg/m³ A4; Irritacao A4; Irritacao Additional Occupational Exposure Limit Values for possible hazards during processing:	HTP (Finland)	
e Long-term value: (10) mg/m³ TWA (Italy) Long-term value: (10) mg/m³ VLE (Portugal) Long-term value: 10 mg/m³ A4; Irritacao A4; Irritacao	CAS: 93763-70-3 Perlite	
(A4 (e)) VLE (Portugal) Long-term value: 10 mg/m³ A4; Irritacao Additional Occupational Exposure Limit Values for possible hazards during processing:	LEP (Spain)	
A4; Irritacao Additional Occupational Exposure Limit Values for possible hazards during processing:	TWA (Italy)	
	VLE (Portugal)	
I otal inhalable dust: 10 mg/m³		
Respirable dust (< 5 µm): 4 mg/m³		



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material: ≥ 0.15 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min

Value for the permeation: Level ≤ 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical propertiesGeneral InformationPhysical stateSolid.Colour:GreyOdour:Uncharacteristic.Odour threshold:Not determined.Melting point/freezing point:Undetermined.Boiling point or initial boiling point and boiling
rangeNot applicable

(Contd. on page 7)



Printing date 29.04.2022

(Contd. of page 5)

Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

(Contd. of page
Product is not flammable.
Not determined.
Not determined.
Not applicable
Not determined.
Not determined.
> 12.0 (DIN 19261)
In water
Not applicable.
Not applicable.
Slightly coluble
Slightly soluble
e) Not determined.
Not applicable.
Not determined
Not determined.
Not applicable.
See item 3.
None.
None.
Powder
th
Draduct is not colfigniting
Product is not selfigniting.
Product does not present an explosion hazard.
0.0 %
0.0000 %
0.0000 g/l
100.0 %
Not determined.
Not applicable.
rd
~
Void
Void
Void
Void
Void
Void
Void
VOIU
Void
1



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Trade name weber.therm armadura base

		(Contd. of page 7)
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Туре	Value	Species
CAS: 1317-65	-3 calcium carbonate		
Oral LD50	>5,000 mg/kg (Rat)		
CAS: 65997-1	5-1 cement portland, grey		
Dermal LD50	>2,000 mg/kg (Rabbit)		
CAS: 1305-62	-0 calcium dihydroxide		
Oral LD50	>2,000 mg/kg (Rat)		
Dermal LD50	>2,500 mg/kg (Rabbit)		
Skin corrosio	n/irritation		
Causes skin ir	ritation.		
Serious eye d	lamage/irritation		
	s eye damage.		
Respiratory o	r skin sensitisation Based	l on availa	ble data, the classification criteria are not met.
Germ cell mu	tagenicity Based on availal	ble data, tł	ne classification criteria are not met.
Carcinogenic	ity Based on available data	, the class	ification criteria are not met.
Reproductive	toxicity Based on available	e data, the	classification criteria are not met.
•	•		e classification criteria are not met.
•	•		the classification criteria are not met.
e.e. opour			(Contd. on page 9
			EU



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

(Contd. of page 8)

Trade name weber.therm armadura base

Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

Aquatic toxicity: No further relevant information available.

Type of test Effective	concontration	Mathad	Accoccmont
Type of lest Effective	concentration	wiethoa	Assessment

CAS: 1317-65-3 calcium carbonate	
----------------------------------	--

LC50/96h	>10,000 mg/l	(Oncorhynchus mykiss	(Rainbow trout))
----------	--------------	----------------------	------------------

- EC50/48h |>1,000 mg/l (Daphnia magna)
- EC50/72h >200 mg/l (Algae)
- CAS: 1305-62-0 calcium dihydroxide
- LC50/96h 158 mg/l (Daphnia magna)
 - >50.6 mg/l (Fish)
- EC50/48h 49.1 mg/l (Daphnia magna)
- EC50/72h 184.57 mg/l (Algae)

NOEC (14d) 32 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment		
CAS: 1305-62-0 calcium dihydroxide		
EC 50 (3h) 300.4 mg/l (Activated sludge)		
Remark: The product causes a significant pH change. Neutralise before introduction. Additional ecological information:		

General notes: Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 10)

EUG



^{12.1} Toxicity

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

(Contd. of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Printing date 29.04.2022

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

10 13 11 wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

10 13 14 waste concrete and concrete sludge

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. **Recommended cleaning agent:**

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATAVoid14.2 UN proper shipping name ADR, ADN, IMDG, IATAVoid14.3 Transport hazard class(es)VoidADR, ADN, IMDG, IATAVoid14.4 Packing group ADR, IMDG, IATAVoid14.5 Environmental hazards:Not applicable.14.6 Special precautions for userNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not dangerous according to the above specifications.UN "Model Regulation":Void			
ADR, ADN, IMDG, IATAVoid14.3 Transport hazard class(es)ADR, ADN, IMDG, IATAClassVoid14.4 Packing group ADR, IMDG, IATAVoid14.5 Environmental hazards:Not applicable.14.6 Special precautions for userNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not dangerous according to the above specifications.		Void	
ADR, ADN, IMDG, IATA ClassVoid14.4 Packing group ADR, IMDG, IATAVoid14.5 Environmental hazards:Not applicable.14.6 Special precautions for userNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not dangerous according to the above specifications.		Void	
ClassVoid14.4 Packing group ADR, IMDG, IATAVoid14.5 Environmental hazards:Not applicable.14.6 Special precautions for userNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not dangerous according to the above specifications.	14.3 Transport hazard class(es)		
ADR, IMDG, IATAVoid14.5 Environmental hazards:Not applicable.14.6 Special precautions for userNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not dangerous according to the above specifications.		Void	
14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: Not dangerous according to the above specifications.		Void	
14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: Not dangerous according to the above specifications.	14.5 Environmental hazards:	Not applicable.	
IMO instrumentsNot applicable.Transport/Additional information:Not dangerous according to the above specifications.	14.6 Special precautions for user	Not applicable.	
UN "Model Regulation": Void	Transport/Additional information:	Not dangerous according to the above specifications.	
Volu	UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP)

(Contd. on page 11)

EUG



according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

(Contd. of page 10) Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 1

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 12)



according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 2 (replaces version 1)

Revision: 29.04.2022

Trade name weber.therm armadura base

(Contd. of page 11)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG

