

### weber.plan 813-20

- as underlay for XXL ceramic tiles
- pumpable, ergonomic application with machine technology
- self-venting; no spiked roller is necessary







The base for demanding XXL-ceramic tiles

The premium floor levelling compound weber.plan 813-20



- especially tailor-made for the specific needs of tile layers
- provides an absolutely flat base for laying XXL-ceramic tiles

### Optimized workabilility features:

- pumpable, ergonomic application with machine technology
- self-levelling
- reduced shrinkage and low tension when hardening
- self-venting; no spiked roller is necessary
- quickly open to foot traffic and ready for floor covering



## New range overview

Range of smoothing mortars weber.plan 813

	thickness	self-levelling	pumpable	XXL formats
weber.plan 813-10	up to 10 mm	<u></u>		<b>© ©</b>
weber.plan 813-20	υρ to 20 mm	$\odot \odot \odot$	$\odot \odot \odot$	$\odot \odot \odot$
weber.plan 813-25	υρ to 25 mm	<b>:</b>	<u></u>	<b>© ©</b>
weber.plan 813-40	υρ to 40 mm	$\odot$	<u></u>	<u></u>
<b>weber.plan 813-PT</b> (PumpTruck-/Silo-Ware)	5 - 20 mm	<b>○ ○ ○</b>	$\odot \odot \odot$	<b>© ©</b>

○ ○ ○ = very good





Nivellierausgleich für Mega-Formate weber.plan 813-20







# Excellently user-friendly

Thanks to its excellent self-levelling properties the levelling compound supports the knee- and backfriendly works in standing position. The product is delivered in contemporary 20 kg bags which also makes works easier in comparison with heavier bags



At weber, we believe that the most important in the building industry is to care about people and their environment



#### We care about our long-term responsibility.

