

Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weber.prim 803

Safety data sheet no.: 49PD20158

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Priming

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

e-mail: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number:

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Plastic dispersion

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	10-25%

(Contd. on page 2)



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

		(Contd. of page 1)
	2-(2-butoxyethoxy)ethanol © Eye Irrit. 2, H319	1-2%
EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) ♠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♠ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6$ % Skin Irrit. 2; H315: 0.06 % $\le C < 0.6$ % Eye Dam. 1; H318: $C \ge 0.6$ % Skin Sens. 1A; H317: $C \ge 0.0015$ %	≥0.00025-<0.0015%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor None

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs					
CAS: 112-34-5 2-(2-butoxyethoxy)ethanol					
Oral	Derived No Effect Level	5 mg/kgxday (consumer systemic long term value)			
Dermal	Derived No Effect Level	83 mg/kgxday (worker systemic long term value)			
		50 mg/kgxday (consumer systemic long term value)			
	•	(Contd on nogo			

(Contd. on page 4)



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

Inhalative I Da	=		(Contd. of page
innalative Derived No Effect Lev		ect Level	67.5 mg/m³ (worker systemic long term value)
			40.5 mg/m³ (consumer systemic long term value)
			101.2 mg/m³ (worker local short term value)
			67.5 mg/m³ (worker local long term value)
			40.5 mg/m³ (consumer local long term value)
			60.7 mg/m³ (consumer local short term value)
CAS: 2634-3	3-5 1,2-benz	isothiazo	ol-3(2H)-one
Dermal De	erived No Eff	ect Level	0.966 mg/kgxday (worker systemic long term value)
			0.345 mg/kgxday (consumer systemic long term value)
Inhalative De	erived No Eff	ect Level	6.81 mg/m³ (worker systemic long term value)
			1.2 mg/m³ (consumer systemic long term value)
CAS: 55965-			of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 I-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral De		-	0.09 mg/kgxday (consumer systemic long term value)
			0.02 mg/m³ (worker local long term value)
			0.02 mg/m³ (consumer local long term value)
PNECs			
	33-5 1,2-benz	isothiazo	ol-3(2H)-one
	•		0.000403 mg/l (sea water rating factor)
T TOUIDIOU TO	Encot Cono.		0.00403 mg/l (fresh water rating factor)
CAS: 55965-	-84-9 reactio	n mace	of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-
5 " (111	and 2-r	nethyl-2F	I-isothiazol-3- one [EC no. 220-239-6] (3:1)
	and 2-r o-Effect Conc	nethyl-2 F entration	1-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor)
	and 2-r o-Effect Conc	nethyl-2h entration entration	1-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor)
	and 2-r o-Effect Conc	nethyl-2h entration entration	1-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor)
Predicted No.	and 2-r p-Effect Conce p-Effect Conce / Designation	nethyl-2F entration entration on of mate	1-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit
Predicted No	and 2-r p-Effect Conce p-Effect Conce / Designation	entration entration on of mate carbonate	d-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te
CAS No. CAS: 1317-6 TWA (Italy)	and 2-r b-Effect Conce b-Effect Conce / Designation 55-3 calcium	entration entration on of mate carbonat Long-terri	d-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34	and 2-ro-Effect Concorder	entration entration on of mate carbonat Long-term (e)	1-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34	and 2-ro-Effect Concorder	entration entration entration carbonat Long-terr (e) syethoxy	d-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34	and 2-r p-Effect Conce -Effect Conce / Designation 65-3 calcium -5 2-(2-butos pean Union)	entration entration on of mate carbonal Long-terr (e) Short-ter Long-terr Long-terr	d-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³ c)ethanol m value: 101.2 mg/m³, 15 ppm
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34 IOELV (Euro	and 2-r p-Effect Conce p-Effect Conce / Designation 65-3 calcium pean Union any)	entration entrat	d-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³ pethanol m value: 101.2 mg/m³, 15 ppm m value: 67.5 mg/m³, 10 ppm m value: 67 mg/m³, 10 ppm m value: 67 mg/m³, 10 ppm
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34 IOELV (Euro	and 2-r p-Effect Conce p-Effect Conce / Designation 65-3 calcium pean Union any)	entration entrat	A-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³ Pethanol m value: 101.2 mg/m³, 15 ppm m value: 67.5 mg/m³, 10 ppm m value: 67 mg/m³, 10 ppm l, DFG, Y, 11 m value: 101 mg/m³, 15 ppm
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34 IOELV (Euro AGW (German	and 2-r p-Effect Conce p-Effect Conce / Designation 65-3 calcium pean Union any)	entration entrat	A-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³ Pethanol m value: 67.5 mg/m³, 15 ppm m value: 67 mg/m³, 10 ppm l, DFG, Y, 11 m value: 101 mg/m³, 15 ppm m value: 68 mg/m³, 10 ppm m value: 67 mg/m³, 15 ppm m value: 67 mg/m³, 15 ppm m value: 68 mg/m³, 10 ppm m value: 67 mg/m³, 15 ppm m value: 67.5 mg/m³, 10 ppm m value: 67.5 mg/m³, 15 ppm m value: 67.5 mg/m³, 15 ppm m value: 101.2 mg/m³, 15 ppm m value: 101.2 mg/m³, 15 ppm
CAS No. CAS: 1317-6 TWA (Italy) CAS: 112-34 IOELV (Euro AGW (German	and 2-r p-Effect Conce p-Effect Conce / Designation 65-3 calcium pean Union any)	entration entrat	A-isothiazol-3- one [ÉC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) erial / % / Type / Value / Unit te m value: 10 mg/m³ Pethanol m value: 67.5 mg/m³, 15 ppm m value: 67 mg/m³, 10 ppm l, DFG, Y, 11 m value: 101 mg/m³, 15 ppm m value: 68 mg/m³, 10 ppm m value: 68 mg/m³, 10 ppm m value: 67.5 mg/m³, 10 ppm m value: 68 mg/m³, 10 ppm m value: 67.5 mg/m³, 10 ppm



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

	(Contd. of page 4)				
VLE (Portugal)	Long-term value: 10 ppm efeitos hematológicos, no fígado, nos rins				
OEL (Sweden)	Short-term value: 101 mg/m³, 15 ppm Long-term value: 68 mg/m³, 10 ppm				
HTP (Finland)	Long-term value: 68 mg/m³, 10 ppm				
CAS: 2634-33-5 1,2-l	penzisothiazol-3(2H)-one				
MAK (Germany)	vgl.Abschn.IIb und Xc				
	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc				

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Respiratory protection: Not necessary if room is well-ventilated.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min

Value for the permeation: Level ≤ 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: 0 °C (DIN ISO 3016)

Boiling point or initial boiling point and boiling

range 100 °C (DIN)

Lower and upper explosion limit

Lower: Not determined.

Upper: Not determined.

Flash point: Not applicable

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

pH at 20 °C 7 - 8 (DIN 19261)

Viscosity:

Kinematic viscosity Not determined.

dynamic at 20 °C: 200 mPas (DIN 53019)

Solubility

Water: Fully miscible
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 1.22 g/cm³ (DIN 51757)

Bulk density: Not applicable. Vapour density Not determined.

9.2 Other information None.

112-34-5 2-(2-butoxyethoxy)ethanol 33,5 mN/m

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not applicable.

Solvent content:

 Organic solvents:
 2.0 %

 EU-VOC (%)
 0.0000 %

 EU-VOC (g/L)
 0.0000 g/l

Change in condition Softening point/range

Pour point: 0 °C

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void

(Contd. on page 7)



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

		(Contd. of page
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	ents	1	Type	1	Value	1	Species
CAS: 131	7-65-3 cal	cium	carbonate				
Oral	LD50	>5,0	00 mg/kg (F	Rat)			
CAS: 112	-34-5 2-(2-	buto	xyethoxy)e	than	ol		
Oral	LD50	>2,0	00 mg/kg (N	Mous	e)		
Dermal	LD50	2,76	4 mg/kg (Ra	abbit))		
CAS: 263	4-33-5 1,2	-benz	zisothiazol-	3(2H)-one		
Oral	LD50	>490) mg/kg (Ra	at)			
Dermal	LD50	>2,0	00 mg/kg (F	Rat)			(0.11

(Contd. on page 8)



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

(Contd. of page 7)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)					
Oral	LD50	457 mg/kg (Rat)			
l <u> </u>	1				

 Oral
 LD50
 457 mg/kg (Rat)

 Dermal
 LD50
 660 mg/kg (Rabbit)

 Inhalative
 LC50/4 h
 2.36 mg/l (Rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test	Type of test / Effective concentration / Method / Assessment				
CAS: 1317-6	CAS: 1317-65-3 calcium carbonate				
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))				
EC50/48h	>1,000 mg/l (Daphnia magna)				
EC50/72h	EC50/72h >200 mg/l (Algae)				
CAS: 112-34	CAS: 112-34-5 2-(2-butoxyethoxy)ethanol				
LC50/48h	1,805-2,304 mg/l (Leuciscus idus (Orfe))				
LC50/96h	1,300 mg/l (Fish)				
LC0/48h	>1,000 mg/l (Leuciscus idus (Orfe))				
EC50/24h	3,300 mg/l (Daphnia magna)				
EC50/72h	1,101 mg/l (Algae)				
EC 10/18h	1,170 mg/l (Pseudomonas putida (Bacteria))				
CAS: 2634-3	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one				
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))				
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))				
EC50/48h	2.9 mg/l (Daphnia magna)				
EC50/72h	0.11 mg/l (Algae)				
	0.067 mg/l (Pseudomonas putida (Bacteria))				
CAS: 55965	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
LC50/48h	0.18 mg/l (Daphnia magna)				
LC50/96h	0.282 mg/l (Daphnia magna)				
(Contd. on page 9)					



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

(Contd. of page 8)

0.19-0.3 mg/l (Fish)

0.109 mg/l (Daphnia magna)
0.0107 mg/l (Algae)

EC50/48h
0.16 mg/l (Daphnia magna)
0.0181-0.0371 mg/l (Algae)

EC50/72h
0.0063-0.0273 mg/l (Algae)

NOEC (14d)
0.035 mg/l (Daphnia magna)

NOEC (21d)
0.011-1.05 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB 0.7 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.vPvB: Does not contain vPvB substances.12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark: The product contains substances which causes severe clouding in water

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 10.3 mg/l (Activated sludge)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) 4.5 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must be specially treated adhering to official regulations.

European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Disposal must be made according to official regulations.

(Contd. on page 10)



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

(Contd. of page 9)

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)



Printing date 13.03.2023 Version number 4 Revision: 27.10.2020

Trade name weber.prim 803

(Contd. of page 10)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 12)



Version number 4 Revision: 27.10.2020 Printing date 13.03.2023

Trade name weber.prim 803

(Contd. of page 11)

Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1