Revision: 25.07.2023



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2023

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weber.tec 822

Safety data sheet no.: 49PD20170

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals

Sealant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

e-mail: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number:

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous artificial resin dispersion on the basis of polystyrene acrylate.

(Contd. on page 2)



Printing date 25.07.2023 Version number 6 (replaces version 5)

Revision: 25.07.2023

Trade name weber.tec 822

		(Contd. of p
Dangerous components:		
CAS: 7727-43-7 EINECS: 231-784-4 Reg.nr.: 01-2119491274-35-xxxx	barium sulphate, natural substance with a Community workplace exposure limit	10-25%
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	10-20%
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	1-2%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide © Carc. 2, H351	0.1-1%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00015-<0.0002

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

(Contd. on page 3)



Printing date 25.07.2023

Version number 6 (replaces version 5)

Trade name weber.tec 822

(Contd. of page 2)

Revision: 25.07.2023

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor None

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

When water is vaporized, generation of toxic gases can not be excluded, e.g.:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

(Contd. on page 4)



Printing date 25.07.2023

Version number 6 (replaces version 5)

vololoti mambol o (ropiacos vololoti o

Trade name weber.tec 822

(Contd. of page 3)

Revision: 25.07.2023

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs				
	7-43-7 barium sulphate,			
Oral		Level 13,000 mg/kgxday (consumer systemic long term value)		
Inhalative	Derived No Effect Level	10 mg/m³ (worker systemic long term value)		
		10 mg/m³ (consumer systemic long term value)		
CAS: 134	63-67-7 titanium dioxide	. 9		
Inhalative	Derived No Effect Level	0.17 mg/m³ (worker local long term value)		
		0.028 mg/m³ (consumer local long term value)		
CAS: 263	4-33-5 1,2-benzisothiaz	ol-3(2H)-one		
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)		
		0.345 mg/kgxday (consumer systemic long term value)		
Inhalative	Derived No Effect Level	6.81 mg/m³ (worker systemic long term value)		
		1.2 mg/m³ (consumer systemic long term value)		
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)		
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)		
		0.02 mg/m³ (consumer local long term value)		
PNECs				
	7-43-7 barium sulphate,			
		207.7 mg/kgxdwt (earth rating factor)		
		0.115 mg/l (fresh water rating factor)		
	4-33-5 1,2-benzisothiaz			
Predicted	No-Effect Concentration	0.000403 mg/l (sea water rating factor)		
		0.00403 mg/l (fresh water rating factor)		
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
Predicted	No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)		
	No-Effect Concentration	0.00339 mg/l (sea water rating factor)		
Predicted	NO Encot Confocilitation			



Printing date 25.07.2023 Version number 6 (replaces version 5) Revision: 25.07.2023

Trade name weber.tec 822

040 N / 5	attended and a later to the second at the se	(Contd. of pa			
	ation of material / % / Type / Value / Unit				
CAS: 7727-43-7 bariu	•				
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y				
LEP (Spain)	Long-term value: 10 mg/m³ e				
TWA (Italy)	Long-term value: 10 mg/m³				
VLE (Portugal)	Long-term value: 5 mg/m³ Fração inalável; Pneumoconiose				
CAS: 1317-65-3 calci	um carbonate				
TWA (Italy)	Long-term value: 10 mg/m³ (e)				
CAS: 14808-60-7 Silic	con dioxide (Quartz sand)				
BOELV (European Un	ion) Long-term value: 0.1* mg/m³ *respirable fraction				
MAK (Germany)	Long-term value: 0.05 mg/m³ alveolengängige Fraktion				
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK				
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y				
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)				
VLE (Portugal)	Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão				
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion				
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly				
CAS: 13463-67-7 titar	nium dioxide				
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y				
GV (Denmark)	Short-term value: 12 mg/m³ Long-term value: 6 mg/m³ K, som Ti				
LEP (Spain)	Long-term value: 10 mg/m³				
TWA (Italy)	Long-term value: 10 mg/m³ A4	Long-term value: 10 mg/m³			
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI				
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm				
CAS: 2634-33-5 1,2-b	enzisothiazol-3(2H)-one				
MAK (Germany)	vgl.Abschn.IIb und Xc				



Printing date 25.07.2023 Version number 6 (replaces version 5) Revision: 25.07.2023

Trade name weber.tec 822

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one					
MAK (Germany)	MAK (Germany) vgl.Abschn.IIb und Xc				
	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc				

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Respiratory protection: Not necessary if room is well-ventilated.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 -0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level < 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.

(Contd. on page 7)



Printing date 25.07.2023 Version number 6 (replaces version 5) Revision: 25.07.2023

Trade name weber.tec 822

(Contd. of page 6)

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range 100 °C (DIN)

Lower and upper explosion limit

Lower:
Upper:
Not determined.
Not determined.
Flash point:
Not applicable
Auto-ignition temperature:
Not determined.
Decomposition temperature:
Not determined.
PH at 20 °C
> 7.0 (DIN 19261)

Viscosity:

Kinematic viscosity
Not determined.
Not determined.
Not determined.

not determined.

Not determined.

Solubility

Water: Fully miscible
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure at 20 °C: 23 hPa (DIN 51640)

Density and/or relative density

Density:Not determinedBulk density:Not applicable.Vapour densityNot determined.

9.2 Other information None.

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not applicable.

Solvent content:

 Organic solvents:
 0.0 %

 EU-VOC (%)
 0.0060 %

 EU-VOC (g/L)
 0.0600 g/l

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes
Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void
Flammable solids Void

(Contd. on page 8)



Printing date 25.07.2023 Version number 6 (replaces version 5) Revision: 25.07.2023

Trade name weber.tec 822

		(Contd. of page 7
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Compon	ents	1	Type	1	Value	1	Species
CAS: 772	27-43-7 ba	arium su	ılphate, n	atur	al		
Oral	LD50	>5,00	0 mg/kg (l	Rat)			
Polyacry	late	•					
Oral	LD50	>2,00	0 mg/kg (l	Rat)			
Dermal	LD50	>2,00	0 mg/kg (l	Rat)			
CAS: 13 ²	17-65-3 са	alcium c	arbonate				
Oral	LD50	>5,00	0 mg/kg (l	Rat)			
CAS: 134	163-67-7 t	itanium	dioxide				
Oral	LD50	>5,00	0 mg/kg (l	Rat)			
CAS: 263	34-33-5 1,	2-benzi	sothiazol	-3(2H	l)-one		
Oral	LD50	532 m	ig/kg (Rat)			
Dermal	LD50	2,100	mg/kg (R	at)			
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)							
Oral	LD50	457 m	ıg/kg (Rat)			
	•	•					(Contd. on page 9)



Printing date 25.07.2023

Version number 6 (replaces version 5)

Trade name weber.tec 822

(Contd. of page 8)

Revision: 25.07.2023

Dermal LD50 660 mg/kg (Rabbit)
Inhalative LC50/4 h 2.36 mg/l (Rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test / Effective concentration / Method / Assessment						
CAS: 7727-4	CAS: 7727-43-7 barium sulphate, natural					
LC50/48h	14.5 mg/l (Daphnia magna)					
LC50/96h	3.5-174 mg/l (Fish)					
EC50/48h	58.8 mg/l (Daphnia magna)					
EC50/72h	1.5-113 mg/l (Algae)					
NOEC (72h)	NOEC (72h) 1.15-100 mg/l (Algae)					
Polyacrylate						
LC50/96h	6h >1,000 mg/l (Fish)					
EC50/48h	EC50/48h >1,000 mg/l (Daphnia magna)					
CAS: 1317-6	CAS: 1317-65-3 calcium carbonate					
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))					
EC50/48h	>1,000 mg/l (Daphnia magna)					
EC50/72h	>200 mg/l (Algae)					
CAS: 13463-	CAS: 13463-67-7 titanium dioxide					
IC50/72h	1 mg/l (Fish)					
LC50/48h	100 mg/l (Daphnia magna)					
EC50/48h	50/48h 2.41-103.9 mg/l (Daphnia magna)					
EC50/72h	EC50/72h 3.58-100 mg/l (Daphnia magna)					
	100 mg/l (Algae)					
NOEC (72h)	NOEC (72h) 100 mg/l (Algae)					
NOEC (14d)	0.87-1.1 mg/l (Fish)					
NOEC (21d)	5 mg/l (Daphnia magna)					
	(Contd. on page 10)					



Printing date 25.07.2023 Version number 6 (replaces version 5) Revision: 25.07.2023

Trade name weber.tec 822

	(Contd. of page 9)				
CAS: 2634-3	3-5 1,2-benzisothiazol-3(2H)-one				
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))				
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))				
EC50/48h	2.9 mg/l (Daphnia magna)				
EC50/72h	0.11 mg/l (Algae)				
	0.067 mg/l (Pseudomonas putida (Bacteria))				
CAS: 55965-	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]				
	and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
LC50/48h	0.18 mg/l (Daphnia magna)				
LC50/96h	0.282 mg/l (Daphnia magna)				
	0.19-0.3 mg/l (Fish)				
EC50/24h	0.109 mg/l (Daphnia magna)				
	0.0107 mg/l (Algae)				
EC50/48h	0.16 mg/l (Daphnia magna)				
	0.0181-0.0371 mg/l (Algae)				
EC50/72h	0.0063-0.0273 mg/l (Algae)				
NOEC (14d)	0.035 mg/l (Daphnia magna)				
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)				

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB 0.7 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark: The product contains substances which causes severe clouding in water

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment
CAS: 7727-43-7 barium sulphate, natural
EC 50 (3h) 622 mg/l (Activated sludge)
CAS: 13463-67-7 titanium dioxide
EC 50 (3h) 1,000 mg/l (Activated sludge)
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one
EC 50 (3h) 10.3 mg/l (Activated sludge)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
EC 50 (3h) 4.5 mg/l (Activated sludge)

(Contd. on page 11)



Printing date 25.07.2023 Version number 6 (replaces version 5) Revision: 25.07.2023

Trade name weber.tec 822

Additional ecological information:

(Contd. of page 10)

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must be specially treated in accordance with official regulations.

European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information			
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void		
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void		
14.3 Transport hazard class(es)			
ADR, ADN, IMDG, IATA Class	Void		
14.4 Packing group ADR, IMDG, IATA	Void		
14.5 Environmental hazards:	Not applicable.		
14.6 Special precautions for user	Not applicable.		
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.		
Transport/Additional information:	Not dangerous according to the above specifications.		
UN "Model Regulation":	Void		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

(Contd. on page 12)



Printing date 25.07.2023 Ver

Version number 6 (replaces version 5)

Trade name weber.tec 822

(Contd. of page 11)

Revision: 25.07.2023

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However,

this shall not constitute a guarantee for any specific product

features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Department issuing SDS: Product safety department.



Printing date 25.07.2023

Version number 6 (replaces version 5)

Trade name weber.tec 822

(Contd. of page 12)

Revision: 25.07.2023

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 5

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG