

Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weber.san 954

Safety data sheet no.: 49PD20316

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84

D-40549 Düsseldorf

+49(0)211/91369-0

e-mail: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number:

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement, portland, white calcium dihydroxide

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Version number 2 Revision: 17.04.2023 Printing date 17.04.2023

Trade name weber.san 954

H335 May cause respiratory irritation.

(Contd. of page 1)

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

Take off contaminated clothing. P362

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Ready-mixed mortar with Portland cement

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	50-75%
CAS: 65997-15-1 EINECS: 266-043-4	cement, portland, white	10-20%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥5-<10%
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	2-5%
CAS: 93763-70-3 EC number: 618-970-4	Perlite substance with a Community workplace exposure limit	2-5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide & Carc. 2, H351	≥0.1-<1%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor None

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation.

Avoid formation of dust.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.
- **6.4 Reference to other sections** See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Prevent formation of dust.

Provide suction extractors if dust is formed.

(Contd. on page 4)



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

(Contd. of page 3)

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1305-62-0 calcium dihydroxide			
Inhalative Derived No	Effect Level 4 mg/m³ (worker local short term value)		
	1 mg/m³ (worker local long term value)		
	1 mg/m³ (consumer local long term value)		
	4 mg/m³ (consumer local short term value)		
CAS: 13463-67-7 tita	ium dioxide		
Inhalative Derived No	Effect Level 0.17 mg/m³ (worker local long term value)		
	0.028 mg/m³ (consumer local long term value)		
PNECs			
CAS: 1305-62-0 calci	ım dihydroxide		
Predicted No-Effect C	ncentration 9.32 mg/l (sea water rating factor)		
	0.49 mg/l (fresh water rating factor)		
CAS No. / Design	ation of material / % / Type / Value / Unit		
CAS: 1317-65-3 calc	um carbonate		
TWA (Italy)	Long-term value: 10 mg/m³		
	(e)		
CAS: 65997-15-1 cen	ent, portland, white		
AGW (Germany)	Long-term value: 5 E mg/m³ DFG		
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d		
WA (Italy) Long-term value: 1 mg/m³ (e, j), A4			
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma		
HTP (Finland)	Long-term value: 5* 1** mg/m³		



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

CAC, 1205 CO 0 a-l-:	um dibuduavida	(Contd. of pa
CAS: 1305-62-0 calci		
IOELV (European Uni	on) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	
AGW (Germany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG	
GV (Denmark)	Short-term value: 10 4* mg/m³ Long-term value: 5 1* mg/m³ E; *respirabel fraktion	
LEP (Spain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d	
TWA (Italy)	Long-term value: 5 mg/m³	
VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica	
VLE (Portugal)	Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea	
OEL (Sweden)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	
HTP (Finland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	
CAS: 14808-60-7 Sili	con dioxide (Quartz sand)	
BOELV (European Ur	nion) Long-term value: 0.1* mg/m³ *respirable fraction	
MAK (Germany)	Long-term value: 0.05 mg/m³ alveolengängige Fraktion	
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK	
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y	
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)	
VLE (Portugal)	Long-term value: 0.05 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão	
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion	
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly	
CAS: 93763-70-3 Per	lite	
LEP (Spain)	Long-term value: 10 mg/m³ e	
TWA (Italy)	Long-term value: (10) mg/m³ (A4 (e))	
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritacao	



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

		(Contd. of page 5)
CAS: 13463-67-7 titar	ium dioxide	
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y	
GV (Denmark)	Short-term value: 12 mg/m³ Long-term value: 6 mg/m³ K, som Ti	
LEP (Spain)	Long-term value: 10 mg/m³	
TWA (Italy)	Long-term value: 10 mg/m³ A4	
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI	
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm	

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material: > 0.15 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level < 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

(Contd. of page 6)

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicableAuto-ignition temperature:Not determined.Decomposition temperature:Not determined.pH at 20 °C> 12.0 (DIN 19261)

In water

Viscosity:

Kinematic viscosity Not applicable.

Kinematic viscosity

dynamic: Not applicable.

Solubility

Water at 20 °C: 1.5 g/l

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not applicable.

Vapour pressure:

Density and/or relative density

Density:Not applicable.Bulk density:Not determined.Vapour densityNot applicable.Particle characteristicsSee section 3.

9.2 Other information None.

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

 Organic solvents:
 0.0 %

 EU-VOC (%)
 0.0000 %

 EU-VOC (g/L)
 0.0000 g/l

(Contd. on page 8)



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

		(Contd. of page
Solids content:	100.0 %	
Change in condition		
Softening point/range		
Oxidising properties	Not determined.	
Evaporation rate	Not applicable.	
Information with regard to physical haz	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Type	1	Value	1	Species	
CAS: 13	17-65-3 с	alcium	carbonate					
Oral	LD50	>5,0	000 mg/kg (F	Rat)				
								(Contd. on page 9)



Version number 2 Revision: 17.04.2023 Printing date 17.04.2023

Trade name weber.san 954

		(Contd. of page 8)					
CAS: 6599	CAS: 65997-15-1 cement, portland, white						
Dermal	Dermal LD50 >2,000 mg/kg (Rabbit)						
CAS: 130	5-62-0 cal	cium dihydroxide					
Oral	LD50	>2,000 mg/kg (Rat)					
Dermal	LD50	>2,500 mg/kg (Rabbit)					
CAS: 13463-67-7 titanium dioxide							
Oral	LD50	>10,000 mg/kg (Rat)					
Inhalative	LC50/4 h	>6.8 mg/l (Rat)					

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

	1				
Type of test / Effective concentration / Method / Assessment					
CAS: 1317-6	CAS: 1317-65-3 calcium carbonate				
LC50/96h	LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))				
EC50/48h	>1,000 mg/l (Daphnia magna)				
EC50/72h	>200 mg/l (Algae)				
CAS: 1305-6	2-0 calcium dihydroxide				
LC50/96h	158 mg/l (Daphnia magna)				
	>50.6 mg/l (Fish)				
EC50/48h	49.1 mg/l (Daphnia magna)				
EC50/72h	184.57 mg/l (Algae)				
NOEC (14d)	32 mg/l (Daphnia magna)				
CAS: 13463-	67-7 titanium dioxide				
LC50/48h	100 mg/l (Daphnia magna)				
EC50/48h	2.41-103.9 mg/l (Daphnia magna)				
EC50/72h	3.58-100 mg/l (Daphnia magna)				
	100 mg/l (Algae)				
NOEC (72h)	100 mg/l (Algae)				
	(Contd. on page 10)				



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

(Contd. of page 9)

NOEC (14d) 0.87-1.1 mg/l (Fish)

NOEC (21d) 5 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.vPvB: Does not contain vPvB substances.12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment	
CAS: 1305-62-0 calcium dihydroxide	
EC 50 (3h) 300.4 mg/l (Activated sludge)	
CAS: 13463-67-7 titanium dioxide	
EC 50 (3h) 1,000 mg/l (Activated sludge)	

Remark: The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

ſ	European waste catalogue				
		wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10			
ľ	10 13 14	waste concrete and concrete sludge			

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

FUG



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

(Contd. of page 10)

SECTION 14: Transport informa	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 12)



Printing date 17.04.2023 Version number 2 Revision: 17.04.2023

Trade name weber.san 954

(Contd. of page 11)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

Classification according to Regulation (EC) No 1272/2008		
Skin corrosion/irritation	The classification of the mixture is generally based on	
Serious eye damage/irritation	the calculation method using substance data according	

Specific target organ toxicity (single exposure) to Regulation (EC) No 1272/2008.

. . .

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.