according to 1907/2006/EC, Article 31

Printing date 06.02.2023

Version number 2

Revision: 21.06.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking


1.1 Product identifier Trade name weber.pas spectra Spritzputz I

Safety data sheet no.: 49PM20034 **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** Construction chemicals Coating **1.3 Details of the supplier of the safety data sheet**

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint Gobain Weber GmbH Schanzenstr. 84
D-40549 Düsseldorf +49(0)211/91369-0 email: Produktsicherheit@sg-weber.de
1.4 Emergency telephone number: Emergency medical information in case of poisoning: Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Information according to Biocidal Products Regulation (EU) 528/2012: contains Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9) EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards Results of PBT and vPvB assessment **PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.



EUG



according to 1907/2006/EC, Article 31

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

(Contd. of page 1)

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	50-75%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide	2-5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Èye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1)	≥0.00025-<0.0015

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

(Contd. on page 3)

- EUG -



Printing date 06.02.2023

Version number 2

according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.06.2021

(Contd. of page 2)

Trade name weber.pas spectra Spritzputz I

After swallowing

Printing date 06.02.2023

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor None

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding

conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from freezing.

Recommended storage temperature: 5-30°C.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

FUG



Printing date 06.02.2023

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

CAS: 2634	1-33-5 1,2-benzisothiaz	
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m ³ (worker systemic long term value)
		1.2 mg/m ³ (consumer systemic long term value)
CAS: 2634	4-33-5 1,2-benzisothiaz	ol-3(2H)-one
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m ³ (worker systemic long term value)
		1.2 mg/m ³ (consumer systemic long term value)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)
		0.02 mg/m³ (consumer local long term value)
PNECs		1
	4-33-5 1,2-benzisothiaz	ol-3(2H)-one
		0.000403 mg/l (sea water rating factor)
		0.00403 mg/l (fresh water rating factor)
CAS: 2634	1-33-5 1,2-benzisothiaz	
	•	0.000403 mg/l (sea water rating factor)
		0.00403 mg/l (fresh water rating factor)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Predicted	No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS N	lo. / Designation of mat	zerial / % / Type / Value / Unit
CAS: 1317	7-65-3 calcium carbona	te
TWA (Italy	/) Long-term value (e)	: 10 mg/m³
	63-67-7 titanium dioxide	
AGW (Gei	many) Long-term value 2(II);*alveolengä	: 1.25* 10** mg/m³ ngig**einatembar; AGS, DFG, Y
GV (Denm	ark) Short-term value Long-term value K, som Ti	
	1	(Contd. on pag

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

	(Contd. of page
LEP (Spain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: 10 mg/m³ A4
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one
MAK (Germany)	vgl.Abschn.IIb und Xc
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one
MAK (Germany)	vgl.Abschn.IIb und Xc
CAS: 55965-84-9	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc
Individual prote	
The usual precau Keep away from	ve and hygienic measures: itionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed.
The usual precau Keep away from Immediately removed Wash hands befor Avoid contact wit	ve and hygienic measures: itionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ove all soiled and contaminated clothing. ore breaks and at the end of work. h the eyes and skin.
The usual precau Keep away from Immediately reme Wash hands befor Avoid contact wit Respiratory pro- Hand protection Protective gloves	ve and hygienic measures: tionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. bove all soiled and contaminated clothing. bore breaks and at the end of work. In the eyes and skin. tection: Not necessary if room is well-ventilated.
The usual precau Keep away from Immediately reme Wash hands befor Avoid contact wit Respiratory pro Hand protection Protective gloves The glove materia Selection of the degradation Material of glove Nitrile rubber, NB	ve and hygienic measures: itionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. by all soiled and contaminated clothing. by all soiled and contaminated clothing. by all soiled and at the end of work. In the eyes and skin. tection: Not necessary if room is well-ventilated. all has to be impermeable and resistant to the product/ the substance/ the mixture. glove material on consideration of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of diffusion and the solutions of the penetration times, rates of the penetration tis penetrating the
The usual precau Keep away from Immediately rema Wash hands befor Avoid contact wit Respiratory pro- Hand protection Protective gloves The glove materia Selection of the degradation Material of glove Nitrile rubber, NB Recommended the The selection of quality and varii substances, the be checked prior Penetration time	ve and hygienic measures: tionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ove all soiled and contaminated clothing. ore breaks and at the end of work. In the eyes and skin. tection: Not necessary if room is well-ventilated. al has to be impermeable and resistant to the product/ the substance/ the mixture. glove material on consideration of the penetration times, rates of diffusion and the solution manufactures to manufacture. As the product is a mixture of several resistance of the glove material can not be calculated in advance and has therefore to to the application. a of glove material
The usual precau Keep away from Immediately rema Wash hands befor Avoid contact wit Respiratory pro- Hand protection Protective gloves The glove materia Selection of the degradation Material of glove Nitrile rubber, NB Recommended th The selection of quality and vari substances, the the be checked prior Penetration time Breakthrough time Value for the perior The exact breakt be observed.	ve and hygienic measures: tionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ove all soiled and contaminated clothing. ore breaks and at the end of work. In the eyes and skin. tection: Not necessary if room is well-ventilated. al has to be impermeable and resistant to the product/ the substance/ the mixture. glove material on consideration of the penetration times, rates of diffusion and the solution manufactures to manufacture. As the product is a mixture of several resistance of the glove material can not be calculated in advance and has therefore to to the application. a of glove material



Printing date 06.02.2023

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

Body protection: Protective work clothing.

	9: Physical and chemical pro	perties	
9.1 Informa	tion on basic physical and chemical	properties	
General Inf	ormation		
Colour:		According to product specification	
Odour:		Characteristic	
Odour three	shold:	Not determined.	
	nt/freezing point:	Undetermined.	
	nt or initial boiling point and boiling		
range		100 °C (DIN)	
	upper explosion limit		
Lower:		Not determined.	
Upper:		Not determined.	
Flash point		Not applicable	
Ignition ten		400 °C (DIN 51794)	
	tion temperature:	Not determined.	
pH at 20 °C		9 (DIN 19261)	
Viscosity:			
Kinematic v	viscosity	Not determined.	
initiatie v	iscosity	Not determined.	
dynamic:		Not determined.	
aynanno.		Not determined.	
Solubility		Not determined.	
Water:		Fully miscible	
		•	
	efficient n-octanol/water (log value)		
	1,2-benzisothiazol-3(2H)-one	0,7	
55965-84-9	reaction mass of 5-chloro-2- methy		
	isothiazol-3-one [EC no. 247-500-7] a		
	methyl-2H-isothiazol-3- one [EC no	. 220-	
	239-6] (3:1)		
Vapour pre	239-6] (3:1) ssure at 20 °C:	23 hPa (DIN 51640)	
Vapour pre	,		
	,	23 hPa (DIN 51640)	
	ssure at 20 °C: d/or relative density	23 hPa (DIN 51640)	
Density and	d/or relative density 20 °C:	23 hPa (DIN 51640) 23 hPa (DIN 51640)	
Density and Density at 2	d/or relative density 20 °C: y:	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm³ (DIN 51757)	
Density and Density at 2 Bulk densit Vapour den	ssure at 20 °C: d/or relative density 20 °C: ry: isity	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined.	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in	ssure at 20 °C: d/or relative density 20 °C: ry: isity iformation	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable.	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance	ssure at 20 °C: d/or relative density 20 °C: ry: isity iformation	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None.	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form:	ssure at 20 °C: d/or relative density 20 °C: ry: usity iformation e:	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None. Pasty	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i	ssure at 20 °C: d/or relative density 20 °C: ry: isity iformation e: nformation on protection of health	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None. Pasty	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i and enviror	ssure at 20 °C: d/or relative density 20 °C: cy: usity formation e: nformation on protection of health nment, and on safety.	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None. Pasty	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i and enviror Auto-ignitic	ssure at 20 °C: d/or relative density 20 °C: ry: isity iformation e: nformation on protection of health iment, and on safety. on temperature:	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm³ (DIN 51757) Not applicable. Not determined. None. Pasty Product is not self-igniting.	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i and enviror Auto-ignitic Explosive p	ssure at 20 °C: d/or relative density 20 °C: ry: isity iformation e: nformation on protection of health ment, and on safety. on temperature: properties:	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None. Pasty	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i and enviror Auto-ignitic Explosive p Minimum ig	ssure at 20 °C: d/or relative density 20 °C: gy: nformation e: nformation on protection of health ment, and on safety. on temperature: properties: gnition energy	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None. Pasty Product is not self-igniting. Product does not present an explosion hazard.	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i and enviror Auto-ignitic Explosive p Minimum ig Solvent sep	ssure at 20 °C: d/or relative density 20 °C: sy: asity aformation e: nformation on protection of health ment, and on safety. on temperature: properties: gnition energy paration test:	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm³ (DIN 51757) Not applicable. Not determined. None. Pasty Product is not self-igniting.	
Density and Density at 2 Bulk densit Vapour den 9.2 Other in Appearance Form: Important i and enviror Auto-ignitic Explosive p Minimum ig	ssure at 20 °C: d/or relative density 20 °C: ry: nformation e: nformation on protection of health nment, and on safety. on temperature: properties: gnition energy paration test: ntent:	23 hPa (DIN 51640) 23 hPa (DIN 51640) 1.4 g/cm ³ (DIN 51757) Not applicable. Not determined. None. Pasty Product is not self-igniting. Product does not present an explosion hazard.	

(Contd. of page 5)

according to 1907/2006/EC, Article 31

Printing date 06.02.2023

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

		(Contd. of page
EU-VOC (%)	0.0700 %	
EU-VOC (g/L)	0.9800 g/l	
Change in condition	Ū.	
Softening point/range		
Pour point:	Not determined	
Oxidising properties	Not determined.	
Evaporation rate	Not determined.	
Information with regard to physical has	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Compor	nents	Ι	Туре	Ι	Value	1	Species	
CAS: 13	17-65-3 са	alcium ca	rbonate					
Oral	LD50	>5,000	mg/kg (F	Rat)				
								(Contd. on page 8)

(Contd. on page 8)



⁻ EUG

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

Oral	LD50	>2,000-10,000 mg/kg (Rat)
CAS: 13	463-67-7 t	itanium dioxide
Oral	LD50	>10,000 mg/kg (Rat)
CAS: 26	34-33-5 1,2	2-benzisothiazol-3(2H)-one
Oral	LD50	>490 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
CAS: 26	34-33-5 1,2	2-benzisothiazol-3(2H)-one
Oral	LD50	>490 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
CAS: 55		eaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 nd 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (Rat)
Dermal	LD50	660 mg/kg (Rabbit)
Inhalativ	e LC50/4 I	n 2.36 mg/l (Rat)
Serious	eye dama tory or ski ell mutage	itation Based on available data, the classification criteria are not met. ge/irritation Based on available data, the classification criteria are not met. n sensitisation Sensitising effect by skin contact is possible by prolonged exposur- nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met.
Germ ce Carcino Reprodu STOT-si STOT-re Aspirati	uctive toxi ingle expo peated ex on hazard	city Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. on other hazards
Germ ce Carcino Reprodu STOT-si STOT-re Aspiratio 11.2 Info	active toxi ngle expo peated ex on hazard ormation o	city Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test	/ Effective concentration / Method / Assessment	
CAS: 1317-6	5-3 calcium carbonate	
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))	
EC50/48h	>1,000 mg/l (Daphnia magna)	
EC50/72h	>200 mg/l (Algae)	
aqueous dis	persion of a copolymer based on styrene and acrylic acid ester	
LC50/96h	>100 mg/l (Brachydanio rerio (zebra danio))	
CAS: 13463	-67-7 titanium dioxide	
LC50/48h	500 mg/l (Daphnia magna)	
EC50/72h	100 mg/l (Algae)	
NOEC (72h)	100 mg/l (Algae)	
	(Contd. on page 9)	
	EU(



Printing date 06.02.2023

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

	(Contd. of pag
()	0.87-1.1 mg/l (Fish)
NOEC (21d)	5 mg/l (Daphnia magna)
CAS: 2634-3	33-5 1,2-benzisothiazol-3(2H)-one
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (Daphnia magna)
EC50/72h	0.11 mg/l (Algae)
	0.067 mg/l (Pseudomonas putida (Bacteria))
CAS: 2634-3	3-5 1,2-benzisothiazol-3(2H)-one
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (Daphnia magna)
EC50/72h	0.11 mg/l (Algae)
	0.067 mg/l (Pseudomonas putida (Bacteria))
CAS: 55965	-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (Algae)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (Algae)
EC50/72h	0.0063-0.0273 mg/l (Algae)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)
	ence and degradability No further relevant information available. nation: The product is not easily biodegradable.
	umulative potential
	33-5 1,2-benzisothiazol-3(2H)-one
EBAB 0.7 lo	
	33-5 1,2-benzisothiazol-3(2H)-one
EBAB 0.7 lo	
12.4 Mobilit 12.5 Results	y in soil No further relevant information available. s of PBT and vPvB assessment
	not contain PBT substances.
	not contain vPvB substances.
	ine disrupting properties does not contain substances with endocrine disrupting properties.
	idverse effects No further relevant information available.
	e product contains substances which causes severe clouding in water
	(Contd. on page



according to 1907/2006/EC, Article 31

Version number 2

Trade name weber.pas spectra Spritzputz I

(Contd. of page 9)

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 10.3 mg/l (Activated sludge)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 10.3 mg/l (Activated sludge)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) 4.5 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly hazardous waste. Smaller quantities can be disposed of with household waste.

European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
		(Contd. on page 1

— EUG



Printing date 06.02.2023

Va

Revision: 21.06.2021

Safety Data Sheet

according to 1907/2006/EC, Article 31

Version number 2

- EUG

(Contd. on page 12)

Trade name weber.pas spectra Spritzputz I

	(Contd. of page 10)
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP) Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets) Directive 2004/42/CE (VOC), cf. section 9 Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.06.2021

Trade name weber.pas spectra Spritzputz I

(Contd. of page 11) H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Department issuing SDS: Product safety department. Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 * Data compared to the previous version altered. According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG

