according to 1907/2006/EC, Article 31

Printing date 23.02.2023

### Version number 2

Revision: 23.02.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.dur 101 weiß

Safety data sheet no.: 49PM20478

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** Construction chemicals

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint Gobain Weber GmbH Schanzenstr. 84
D-40549 Düsseldorf +49(0)211/91369-0 email: Produktsicherheit@sg-weber.de
1.4 Emergency telephone number: Emergency medical information in case of poisoning: Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008** Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms

GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling: cement, portland, white calcium dihydroxide

(Contd. on page 2)

<sup>-</sup> EUG

according to 1907/2006/EC, Article 31

Printing date 23.02.2023

### Version number 2

Revision: 23.02.2023

Trade name weber.dur 101 weiß

(Contd. of page 1)

Hazard statem	ents
H315 Causes s	kin irritation.
H318 Causes s	erious eye damage.
H335 May caus	e respiratory irritation.
Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362	Take off contaminated clothing.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
2.3 Other haza	rds
Results of PRI	and vPvB assessment

Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Description: Ready-mixed mortar with Portland cement

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	50-75%
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	10-25%
CAS: 65997-15-1 EINECS: 266-043-4	cement, portland, white	10-20%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide	1-2%

### SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

### After skin contact

Immediately wash with water and soap and rinse thoroughly.



according to 1907/2006/EC, Article 31

Version number 2

Revision: 23.02.2023

(Contd. of page 2)

### Trade name weber.dur 101 weiß

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available. **5.3 Advice for firefighters** 

Protective equipment: Use methods suitable to surrounding conditions.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

(Contd. on page 4)



# Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 2

Trade name weber.dur 101 weiß

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

DNELs		
CAS: 1305-62-0 calci	-	
Inhalative Derived No	Effect Level 4 mg/m³ (worker loca	,
	1 mg/m³ (worker loca	al long term value)
		local long term value)
	4 mg/m³ (consumer l	local short term value)
PNECs		
CAS: 1305-62-0 calci	•	
Predicted No-Effect C	ncentration 9.32 mg/l (sea water	rating factor)
	0.49 mg/l (fresh wate	r rating factor)
CAS No. / Design	tion of material / % / Type /	Value / Unit
CAS: 1317-65-3 calci	m carbonate	
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup>	
	(e)	
	on dioxide (Quartz sand)	
BOELV (European Un	on) Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction	
MAK (Germany)	Long-term value: 0.05 mg/m <sup>3</sup>	
	alveolengängige Fraktion	
GV (Denmark)	Short-term value: 0.6* 0.2** m	
	Long-term value: 0.3* 0.1** m	ng/m³
	*total:,**total, respirabel, EK	
LEP (Spain)	Long-term value: 0.05 mg/m <sup>3</sup> *Fracción resp:n,d,y	
TWA (Italy)	Long-term value: 0.025 mg/m	3
	A2, (j)	
VLE (Portugal)	Long-term value: 0.05 mg/m <sup>3</sup>	
	Resp.;A2; fibrose pulmonar; c	cancro do pulmão
OEL (Sweden)	Long-term value: 0.1 mg/m <sup>3</sup> C, M, respirabel fraktion	
HTP (Finland)	Long-term value: 0.05 0.1* mg alveolijae;*sitovat raja-arvot, p	
CAS: 65997-15-1 cen	ent, portland, white	
AGW (Germany)	Long-term value: 5 E mg/m <sup>3</sup> DFG	
LEP (Spain)	Long-term value: 4 mg/m <sup>3</sup>	



Printing date 23.02.2023

Revision: 23.02.2023

(Contd. of page 3)

according to 1907/2006/EC, Article 31

Printing date 23.02.2023

web

### Version number 2

Revision: 23.02.2023

#### Trade name weber.dur 101 weiß

		(Contd. of page 4)
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4	
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma	
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae	
CAS: 1305-62-0 calcium	dihydroxide	
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	
AGW (Germany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG	
GV (Denmark)	Short-term value: 10 4* mg/m³ Long-term value: 5 1* mg/m³ E; *respirabel fraktion	
LEP (Spain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d	
TWA (Italy)	Long-term value: 5 mg/m³	
VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica	
VLE (Portugal)	Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea	
OEL (Sweden)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	
HTP (Finland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	
Additional information:		

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Use a moisturising skin cream after processing the product. **Respiratory protection:** Not necessary if room is well-ventilated. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Short term filter device: Filter P2. Hand protection Protective gloves.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Version number 2

Revision: 23.02.2023

#### Trade name weber.dur 101 weiß

(Contd. of page 5)

FUG

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material:  $\geq 0.15 \text{ mm}$ 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

Breakthrough time: > 480 min

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

0.4 Information on basis abusised and abamiss	l uveneuties
9.1 Information on basic physical and chemica General Information	il properties
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH at 20 °C	> 12.0 (DIN 19261)
	In water
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water at 20 °C:	1.5 g/l
Partition coefficient n-octanol/water (log value	) Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not applicable.
Bulk density:	Not determined
Vapour density	Not applicable.
Particle characteristics	See item 3.
9.2 Other information	None.
	(Contd. on page 7



according to 1907/2006/EC, Article 31

### Version number 2

Revision: 23.02.2023

Trade name weber.dur 101 weiß

	(Contd. of page 6)
Appearance:	
Form:	Powder
Important information on protection of he	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent content:	
Organic solvents:	0.0 %
EU-VOC (%)	0.0000 %
EU-VOC (g/L)	0.0000 g/l
Solids content:	100.0 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not applicable.
classes Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

**10.2 Chemical stability** 

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)

<sup>-</sup> EUG

according to 1907/2006/EC, Article 31

Version number 2

Revision: 23.02.2023

Trade name weber.dur 101 weiß

Printing date 23.02.2023

(Contd. of page 7) **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Compone	s / Type / Value / Species
CAS: 131	65-3 calcium carbonate
Oral L	i0  >5,000 mg/kg (Rat)
CAS: 659	-15-1 cement, portland, white
Dermal L	i0  >2,000 mg/kg (Rabbit)
CAS: 130	52-0 calcium dihydroxide
Oral L	i0  >2,000 mg/kg (Rat)
Dermal	i0 >2,500 mg/kg (Rabbit)
Causes se Respirato Germ cell Carcinog Reproduc STOT-sin May cause STOT-rep	irritation. damage/irritation bus eye damage. or skin sensitisation Based on available data, the classification criteria are not met nutagenicity Based on available data, the classification criteria are not met. icity Based on available data, the classification criteria are not met. ve toxicity Based on available data, the classification criteria are not met. e exposure espiratory irritation. inted exposure Based on available data, the classification criteria are not met.
	nazard Based on available data, the classification criteria are not met. ation on other hazards
11.2 Infor	nazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

EC50/48h >1 EC50/72h >2 CAS: 1305-62-0	0,000 mg/l (Oncorhynchus mykiss (Rainbow trout)) ,000 mg/l (Daphnia magna) 200 mg/l (Algae)	
EC50/72h >2 CAS: 1305-62-0	200 mg/l (Algae)	
CAS: 1305-62-0		
LC50/06h 15	i calcium dinydroxide	
LC00/9011  10	i8 mg/l (Daphnia magna)	
>5	i0.6 mg/l (Fish)	
EC50/48h 49	).1 mg/l (Daphnia magna)	
I		(Contd. on page



.....

according to 1907/2006/EC, Article 31

#### Version number 2

Revision: 23.02.2023

Trade name weber.dur 101 weiß

(Contd. of page 8) EC50/72h 184.57 mg/l (Algae) NOEC (14d) 32 mg/l (Daphnia magna) 12.2 Persistence and degradability No further relevant information available. Other information: The product is not easily biodegradable. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Remark: The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria. The product contains substances which causes severe clouding in water Behaviour in sewage processing plants: Type of test / Effective concentration / Method / Assessment CAS: 1305-62-0 calcium dihydroxide EC 50 (3h) 300.4 mg/l (Activated sludge) **Remark:** The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

### European waste catalogue

10 13 14 waste concrete and concrete sludge

10 13 11 wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

### Uncleaned packaging:

### **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

**Recommended cleaning agent:** 

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

FUG

(Contd. on page 10)



according to 1907/2006/EC, Article 31

Printing date 23.02.2023

#### Version number 2

Revision: 23.02.2023

Trade name weber.dur 101 weiß

(Contd. of page 9)

SECTION 14: Transport information	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according t IMO instruments	o Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 11)



# Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 23.02.2023

Trade name weber.dur 101 weiß

(Contd. of page 10) **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

	nowledge. However,
this shall not constitute a guarantee for any features and shall not establish a legally va relationship.	/ specific product
Relevant phrases H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
Classification according to Regulation (	EC) No 1272/2008
Skin corrosion/irritation Serious eye damage/irritation Specific target organ toxicity (single exposu	The classification of the mixture is generally based of the calculation method using substance data accordinure) to Regulation (EC) No 1272/2008.
Concerning the International Transport of Dangerous	archandises dangereuses par route (European Agreement Concerning

