

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No: MEDB000081V

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED). This Certificate is issued by DNV SE based on the notification of the Federal Maritime and Hydrographic Agency of Germany.

This is to certify:

That the Surface materials and floor coverings with low flame-spread characteristics: floor coverings

with type designation(s) System mineralisch 2 (Boden)

Issued to

Saint-Gobain Weber GmbH Düsseldorf, Nordrhein-Westfalen, Germany

is found to comply with the requirements in the following Regulations/Standards:

Regulation (EU) 2021/1158, item No. MED/3.18c. SOLAS 74, Reg. II-2/3, II-2/5, II-2/6 & X/3, IMO MSC/Circ. 1120, 2000 HSC Code 7 and IMO 2010 FTP Code

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2027-05-24.

Issued at Hamburg on 2022-05-25

DNV local station: Essen

Approval Engineer: Timo Linn \odot

Notified Body No.: 0098

for DNV SE

Christine Mydlak-Roeder Head of Notified Body

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment", signed February 27th, 2004, and amended by Decision No 1/2018 dated February 18th, 2019.

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the productionsurveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU. This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV SE of any changes to the approved equipment. This

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV SE of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Product description

System mineralisch 2 (Boden) is a combination of products which are forming a floor covering with low flame-spread properties.

Max Thickness (without 3 mm steel plate): 10 mm Colour: Grey

Composition as tested from bottom to top:

Layer	Material	Manufacturer / Trade name	Density [kg/m³]	Thick- ness [mm]	Applied quantity [g/m ²]	Place of production
1	Steel deck			3		
2	Sealing foil	Saint Gobain Weber GmbH / webertec Superflex Marine	1000	2	2500	Saint-Gobain Weber GmbH / Datteln, Germany
3	Tiles adhesive	Saint Gobain Weber GmbH / webertec Superflex Marine	1300	4	2400	Saint-Gobain Weber GmbH / Datteln, Germany
5	Tile (non- combustible)	-	-	4	-	-
5	Grout	Saint-Gobain Weber GmbH / weber.fug 877	1300	4	700	Saint-Gobain Weber GmbH / Finnentrop-Heggen, Germany
5	Expansion Joint	Saint Gobain Weber GmbH / weber.fug 881	1020	4	153 (150 ml/m)	Saint-Gobain Weber GmbH / Düsseldorf, Germany

For further details refer to the documentation listed below under "Type Examination documentation".

Application/Limitation

Approved for use as low flame spread surface material, not generating excessive quantities of smoke nor toxic products in fire.

Approved for use as floor covering on any low flame-spread floor covering, steel or non-combustible material.

Approved colour (tested colour): grey.

Any adhesive used, other than the one used during testing, has to be tested for low flame spread characteristics according to IMO 2010 FTP Code Part 5 and to be approved according to the Marine Equipment Directive and bear the Mark of Conformity.

Each product is to be supplied with its manual for installation and maintenance.

Type Examination documentation

Test report No. 8117082848-10b dated 2019-10-02 from DMT GmbH & Co. KG, Dortmund, Germany. Test report No. 8117082848-20 dated 2019-12-06 from DMT GmbH & Co. KG, Dortmund, Germany.

Tests carried out

Tested according to IMO Res. MSC.307(88) – 2010 FTP Code Annex 1, Part 5 and Part 2.

Marking of product

The product or packing is to be marked with name and address of manufacturer, type designation, fire technical rating, the MED Mark of Conformity and USCG approval if applicable (see page 1).