

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name weber pluscalc Innenfarbe

Safety data sheet no.: 49PM21453

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

### Application of the substance / the mixture

Coating compound/ Surface coating/ paint

Silicate interior paint

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84

D-40549 Düsseldorf

+49(0)211/91369-0

e-mail: Produktsicherheit@sg-weber.de

### 1.4 Emergency telephone number:

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

#### Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Silicate-paint based on alkalisilicate, mineral filling material and additives.

#### Dangerous components:

CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	25-50%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide ☠ Carc. 2, H351	5-10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one ☠ Acute Tox. 2, H330; ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) ☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

**SVHC** Void

**Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

(Contd. on page 3)

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 2)

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents**

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** Use methods suitable to surrounding conditions.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**6.4 Reference to other sections** See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

No special precautions are necessary if used correctly.

Store in cool, dry place in tightly closed receptacles.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from freezing.

**Recommended storage temperature:** 5-30°C.

**7.3 Specific end use(s)** No further relevant information available.

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

Trade name weber pluscalc Innenfarbe

(Contd. of page 3)

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
<b>CAS: 13463-67-7 titanium dioxide</b>		
Inhalative	Derived No Effect Level	0.17 mg/m <sup>3</sup> (worker local long term value) 0.028 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>		
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m <sup>3</sup> (worker systemic long term value) 1.2 mg/m <sup>3</sup> (consumer systemic long term value)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>		
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m <sup>3</sup> (worker local long term value) 0.02 mg/m <sup>3</sup> (consumer local long term value)
PNECs		
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>		
Predicted No-Effect Concentration		0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>		
Predicted No-Effect Concentration		0.01 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
CAS No. / Designation of material / % / Type / Value / Unit		
<b>CAS: 1317-65-3 calcium carbonate</b>		
TWA (Italy)		Long-term value: 10 mg/m <sup>3</sup> (e)
<b>CAS: 13463-67-7 titanium dioxide</b>		
AGW (Germany)		Long-term value: 1.25* 10** mg/m <sup>3</sup> 2(II);*alveolengängig**einatembar; AGS, DFG, Y
GV (Denmark)		Short-term value: 12 mg/m <sup>3</sup> Long-term value: 6 mg/m <sup>3</sup> K, som Ti
LEP (Spain)		Long-term value: 10 mg/m <sup>3</sup>
TWA (Italy)		Long-term value: 10 mg/m <sup>3</sup> A4

(Contd. on page 5)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 4)

VLE (Portugal)	Long-term value: 10 mg/m <sup>3</sup> A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m <sup>3</sup> totaldamm
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>	
MAK (Germany)	vgl.Abschn.IIb und Xc
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>	
MAK (Germany)	Long-term value: 0.2E mg/m <sup>3</sup> vgl.Abschn.Xc

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

**Respiratory protection:** Not necessary if room is well-ventilated.

**Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.4$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

Breakthrough time: > 480 min

Value for the permeation: Level  $\leq 6$

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

EUG

(Contd. on page 6)

Trade name weber pluscalc Innenfarbe

(Contd. of page 5)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	0 °C (DIN ISO 3016)
Boiling point or initial boiling point and boiling range	100 °C (DIN)
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH at 20 °C	11.3 (DIN 19261)
Viscosity:	
Kinematic viscosity	Not determined.
Kinematic viscosity dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Vapour pressure:	
Density and/or relative density	
Density at 20 °C:	1.43 g/cm <sup>3</sup> (DIN 51757)
Bulk density:	Not applicable.
Vapour density	Not determined.

### 9.2 Other information

Appearance:	None.
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
EU-VOC (%)	0.3170 %
EU-VOC (g/L)	4.5331 g/l
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

(Contd. on page 7)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

Trade name weber pluscalc Innenfarbe

(Contd. of page 6)

**Information with regard to physical hazard**

classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 1317-65-3 calcium carbonate</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>CAS: 13463-67-7 titanium dioxide</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>			
Oral	LD50	>490 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)

(Contd. on page 8)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 7)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

Oral	LD50	457 mg/kg (Rat)
Dermal	LD50	660 mg/kg (Rabbit)
Inhalative	LC50/4 h	2.36 mg/l (Rat)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

CAS: 10222-01-2 | 2,2-dibromo-2-cyanoacetamide

List II

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Type of test / Effective concentration / Method / Assessment**

**CAS: 1317-65-3 calcium carbonate**

LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/48h	>1,000 mg/l (Daphnia magna)
EC50/72h	>200 mg/l (Algae)

**CAS: 13463-67-7 titanium dioxide**

IC50/72h	1 mg/l (Fish)
LC50/48h	100 mg/l (Daphnia magna)
EC50/48h	2.41-103.9 mg/l (Daphnia magna)
EC50/72h	3.58-100 mg/l (Daphnia magna)
	100 mg/l (Algae)
NOEC (72h)	100 mg/l (Algae)
NOEC (14d)	0.87-1.1 mg/l (Fish)
NOEC (21d)	5 mg/l (Daphnia magna)

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (Daphnia magna)
EC50/72h	0.11 mg/l (Algae)
	0.067 mg/l (Pseudomonas putida (Bacteria))

(Contd. on page 9)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 8)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (Algae)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (Algae)
EC50/72h	0.0063-0.0273 mg/l (Algae)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)

**12.2 Persistence and degradability** No further relevant information available.

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential**

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EBAB | 0.7 log Pow

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects** No further relevant information available.

**Remark:** The product contains substances which causes severe clouding in water

**Behaviour in sewage processing plants:**

**Type of test / Effective concentration / Method / Assessment**

**CAS: 13463-67-7 titanium dioxide**

EC 50 (3h) | 1,000 mg/l (Activated sludge)

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC 50 (3h) | 10.3 mg/l (Activated sludge)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EC 50 (3h) | 4.5 mg/l (Activated sludge)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly hazardous waste.

(Contd. on page 10)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 9)

**European waste catalogue**

08 01 20 | aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

**14.1 UN number or ID number**  
ADR, ADN, IMDG, IATA

Void

**14.2 UN proper shipping name**  
ADR, ADN, IMDG, IATA

Void

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA  
Class

Void

**14.4 Packing group**  
ADR, IMDG, IATA

Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:**

Not dangerous according to the above specifications.

**UN "Model Regulation":**

Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 11)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 10)

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

**Department issuing SDS:** Product safety department.**Contact:** Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 12)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.05.2023

Version number 2

Revision: 21.06.2021

**Trade name weber pluscalc Innenfarbe**

(Contd. of page 11)

EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Carc. 2: Carcinogenicity – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG