



weber BaseGuard

Reactive 2-comp. waterproofing coating



HEALTH & WELLBEING
INDOORS



HEALTH & SAFETY
ON JOBSITES



RELIABILITY



COST OF
OWNERSHIP



PRODUCTIVITY

Environmental labels & certificates



Environmental Product Declaration (EPD)

Declaration number: EPD-DBC-20220219-IBF1-EN

Title: Modified mineral mortars, group 3

Publisher: Institut Bauen und Umwelt e.V. (IBU)

Owner: FEICA, EFCC, IVK, DBC

Declared unit: 1 kg

valid DIN standard: DIN EN 15804 + A2

Parameter	Unit	Environmental impacts (A1 - A3)
Global warming potential-total (GWP-total)	[kg CO ₂ -Eq.]	1.62E+0
Global warming potential-fossil (GWP-fossil)	[kg CO ₂ -Eq.]	1.68E+0
Global warming potential-biogenic (GWP-biogenic)	[kg CO ₂ -Eq.]	-6.25E-2
Global warming potential-luluc (GWP-luluc)	[kg CO ₂ -Eq.]	1.32E-3

DGNB (German Sustainable Building Council)

■ **DGNB Navigator Register-Code:** F2MOVU

■ **Version:** 2018

■ **Criterion:** ENV1.2 Healthy building

■ **Assignment Criteria matrix:** 9

■ **Assignment product group:** Laying material as a barrier coat, screed resins and waterproofing with increased requirements

weber BaseGuard meets the requirements for the quality level QS 4

■ **Version:** 2023

■ **Criterion:** ENV1.2 Healthy building

■ **Assignment Criteria matrix:** 9

■ **Assignment product group:** Laying materials

weber BaseGuard meets the requirements for the quality level QS 4



BNB (Sustainable Building Rating System)

- **Version:** 2017
- **Assignment Criteria matrix:** 4
- **Assignment:** Coatings on predominantly mineral surfaces in interior areas: concrete, masonry, mortar, filler (including dispersion filler), render, fleece, plasterboard, etc.
Floor surfaces with special resistance requirements (such as OS systems) and traffic routes such as underground car parks, driveways, etc. are not considered.

weber BaseGuard meets the quality level requirements QN 5

NaWoh (Seal of Quality for Sustainable Housing)

- **Version:** 2024
- **Criterion:** 2.2.1 Avoiding harmful substances in building materials
- **Assignment:** QNG quality requirements for the avoidance of pollutants in QNG Annex Document 313, items 3.2. and 5.3

weber BaseGuard overfulfils the requirements

QNG (Quality Seal Sustainable Building)

- **Version:** 2023
- **Assignment Criteria matrix:** 3.2
- **Assignment:** Primers, undercoats, levelling compounds and adhesives under tiles/slabs as well as pointing mortar (or grout)

weber BaseGuard meets the requirements

- **Version:** 2023
- **Assignment Criteria matrix:** 5.3
- **Assignment:** Levelling compounds, dispersion fillers (Q-filler), adhesion primers under renders/ mortars/ interior paints, concrete cosmetics, dust-binding coatings, acrylate dispersion-based floor coatings, etc.

weber BaseGuard meets the requirements

Ingredients

- **SVHC*:** not included
*Substance of Very High Concern, substances of very high concern included in the current list of the European Chemicals Agency (ECHA) that meet the criteria of Art. 57 of the REACH Regulation, in a concentration > 0.1 % by weight
- **Solvent content according to VdL Guideline 01:** solvent free
- **Plasticiser according to VdL Guideline 01:** plasticizer free
- **VOC EU:** not included

Our contribution to environmental protection

We bear responsibility for people in the present. But also take responsibility for them in the future. We lead the way in change processes to create a future in harmony with the environment. We are aware of our long-term responsibility.

DISCLAIMER: This sustainability data sheet is based on our findings and experience as of the issue date. In addition, please consider the information provided in the product data sheet, safety data sheet, and other relevant documents, such as performance declarations, GEV-EMICODE licenses, general building approvals, and environmental product declarations (EPD).