

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: weber.fug 883 M

Safety data sheet no.: 49PX21562

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Spacings sealent

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Weber GmbH

Willstätterstraße 60

D-40549 Düsseldorf

+49(0)211/91369-0

e-mail: Produktsicherheit@sg-weber.de

**1.4 Emergency telephone number:**

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Additional information:**

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance: 2-octyl-2H-isothiazol-3-one (CAS no.: 26530-20-1)

EUH208 Contains octhiline (ISO);2-octyl-2H-isothiazol-3-one, N-(3-(trimethoxysilyl)propyl) ethylenediamine. May produce an allergic reaction.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**Determination of endocrine-disrupting properties**

Does not contain substances with endocrine-disrupting properties.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture of substances listed below with non hazardous additions.

**Dangerous components:**

CAS: 112945-52-5 EC number: 601-216-3 Reg.nr.: 01-2119379499-16-xxxx	Silica,amorphous, fumed, crystalline-free substance with a Community workplace exposure limit	2.5-10%
--	---	---------

(Contd. on page 2)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 1)

CAS: 37859-55-5 ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76-xxxx	O,O',O''-(methylsilyldiyl)trioxime 2-pentanone ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	<5%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide substance with a Community workplace exposure limit	<1%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39-xxxx	N-(3-(trimethoxysilyl)propyl)ethylenediamine ⚠ Eye Dam. 1, H318; ⚠ Skin Sens. 1B, H317; STOT SE 3, H335	<1%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45-xxxx	octhilinone (ISO);2-octyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.1%

**SVHC** Void

**Additional information**

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For the wording of the listed hazard statements refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**

**General information** Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact**

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

If skin irritation continues, consult a doctor.

**After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** Drink plenty of water and provide fresh air. Call for a doctor immediately.

**Information for doctor** None

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 2)

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents** Use fire extinguishing methods suitable to surrounding conditions.

**For safety reasons unsuitable extinguishing agents** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon oxides (COx)

#### 5.3 Advice for firefighters

**Protective equipment:** Use methods suitable to surrounding conditions.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Allow to solidify. Pick up mechanically.

Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

**Information about fire - and explosion protection:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage

**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

**7.3 Specific end use(s)** No further relevant information available.

EUG

(Contd. on page 4)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

Trade name: weber.fug 883 M

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

<b>DNELs</b>		
<b>CAS: 37859-55-5 O,O',O''-(methylsilylidyne)trioxime 2-pentanone</b>		
Oral	Derived No Effect Level	0.033 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	0.065 mg/kgxday (worker systemic long term value)
		0.033 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.229 mg/m <sup>3</sup> (worker systemic long term value)
		0.057 mg/m <sup>3</sup> (consumer systemic long term value)
<b>CAS: 13463-67-7 titanium dioxide</b>		
Inhalative	Derived No Effect Level	1.25 mg/m <sup>3</sup> (worker local long term value)
		0.21 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine</b>		
Oral	Derived No Effect Level	4 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	130 mg/m <sup>3</sup> (worker systemic long term value)
		26 mg/m <sup>3</sup> (consumer systemic long term value)
<b>PNECs</b>		
<b>CAS: 37859-55-5 O,O',O''-(methylsilylidyne)trioxime 2-pentanone</b>		
Predicted No-Effect Concentration		0.044 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.01 mg/l (sea water rating factor)
		0.1 mg/l (fresh water rating factor)
<b>CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine</b>		
Predicted No-Effect Concentration		0.007 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.005 mg/l (sea water rating factor)
		0.05 mg/l (fresh water rating factor)
<b>CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one</b>		
Predicted No-Effect Concentration		0.0082 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00022 mg/l (sea water rating factor)
		0.0022 mg/l (fresh water rating factor)
<b>CAS No. / Designation of material / % / Type / Value / Unit</b>		
<b>CAS: 112945-52-5 Silica,amorphous, fumed, crystalline-free</b>		
MAK (Germany)	Long-term value: 0.02A mg/m <sup>3</sup> vgl. Abschn. V	
<b>CAS: 13463-67-7 titanium dioxide</b>		
AGW (Germany)	Long-term value: 1.25* 10** mg/m <sup>3</sup> 2(II);*alveolengängig**einatembare; AGS, DFG, Y	
GV (Denmark)	Short-term value: 12 mg/m <sup>3</sup>	
	Long-term value: 6 mg/m <sup>3</sup> K, som Ti	
LEP (Spain)	Long-term value: 10 mg/m <sup>3</sup>	

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 4)

TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> A4
VLE (Portugal)	Long-term value: 10 mg/m <sup>3</sup> A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m <sup>3</sup> totaldamm

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Take off contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

**Respiratory protection:** Not necessary if room is well-ventilated.

**Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

Breakthrough time: > 480+ min

Value for the permeation: Level  $\leq 6$

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

**Environmental exposure controls**

Prevent enter of the product into drains, surface and ground water and soil.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Liquid

**Colour:**

Different according to colouring

(Contd. on page 6)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 5)

<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Not applicable.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>dynamic:</b>	> 50 Pas Not determined.
<b>Solubility</b>	
<b>Water:</b>	Not miscible or difficult to mix
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	1 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Bulk density:</b>	Not applicable.
<b>Vapour density</b>	Not determined.

<b>9.2 Other information</b>	None.
<b>Appearance:</b>	
<b>Form:</b>	Pasty
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Minimum ignition energy</b>	
<b>Solvent separation test:</b>	Not determined
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

**Information with regard to physical hazard**

<b>classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void

(Contd. on page 7)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

Trade name: weber.fug 883 M

(Contd. of page 6)

Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** Avoid moisture

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 112945-52-5 Silica,amorphous, fumed, crystalline-free</b>			
Oral	LD50	5,000 mg/kg	(Rat)
<b>CAS: 37859-55-5 O,O',O''-(methylsilylidyne)trioxime 2-pentanone</b>			
Oral	LD50	1,234 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
<b>CAS: 13463-67-7 titanium dioxide</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine</b>			
Oral	LD50	2,295 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
<b>CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one</b>			
Oral	LD50	125 mg/kg	(ATE)
Dermal	LD50	311 mg/kg	(ATE)
Inhalative	LC50/4 h	0.27 mg/l	(ATE)

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 8)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 7)

**Respiratory or skin sensitisation**

Sensitising effect by skin contact is possible by prolonged exposure.

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Based on test data. Skin sensitisation not classified

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Type of test / Effective concentration / Method / Assessment**

**CAS: 112945-52-5 Silica,amorphous, fumed, crystalline-free**

LC50/48h	512.078 mg/l (aquatic invertebrates)
LC50/96h	2,594 mg/l (aquatic invertebrates) 1,033-5,000 mg/l (Fish)
EC50/48h	>5,000 mg/l (aquatic invertebrates)
EC50/96h	217.6 mg/l (aquatic algae and cyanobacteria) 217.576 mg/l (Algae)
EC50/72h	173.1-500 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	500 mg/l (Fish)
NOEC (48h)	5,000 mg/l (aquatic invertebrates)
NOEC (21d)	68-250 mg/l (aquatic invertebrates)

**CAS: 37859-55-5 O,O',O''-(methylsilylidyne)trioxime 2-pentanone**

LC50/96h	100-113 mg/l (Fish)
EC50/48h	100-113 mg/l (aquatic invertebrates)
EC50/72h	50-88 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	32-36 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	100-113 mg/l (Fish)
NOEC (48h)	100-113 mg/l (aquatic invertebrates)
NOEC (28d)	>21.5 mg/l (microorganisms)

**CAS: 13463-67-7 titanium dioxide**

IC50/72h	1 mg/l (Fish)
LC50/48h	>100 mg/l (aquatic invertebrates)
LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)

(Contd. on page 9)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 8)

EC50/72h	>100 mg/l (Algae)
NOEC (72h)	≥10 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	≥1 mg/l (aquatic plants other than algae)
NOEC (21d)	≥100 mg/l (aquatic invertebrates)
NOEC (28d)	≥100 mg/l (aquatic invertebrates)
	≥0.07 mg/l (Fish)

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

LC50/96h	597 mg/l (Fish)
EC50/16h	67 mg/l (microorganisms)
EC50/48h	81 mg/l (aquatic invertebrates)
EC50/96h	11 mg/l (aquatic algae and cyanobacteria)
EC50/72h	5.5-8.8 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	1.6-3.1 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	6.3 mg/l (aquatic algae and cyanobacteria)
	344 mg/l (Fish)
NOEC (48h)	35 mg/l (aquatic invertebrates)
NOEC (21d)	≥1 mg/l (aquatic invertebrates)
EC 10/16h	25 mg/l (microorganisms)

**CAS: 26530-20-1 octhiline (ISO);2-octyl-2H-isothiazol-3-one**

LC50/48h	0.181 mg/l (aquatic invertebrates)
LC50/96h	0.122 mg/l (Fish)
EC50/96h	0.15 mg/l (aquatic algae and cyanobacteria)
EC 10	0.068 mg/l (aquatic algae and cyanobacteria)

**12.2 Persistence and degradability** No further relevant information available.

**Method**

**CAS: 37859-55-5 O,O',O''-(methylsilyldi)trioxime 2-pentanone**

Biod. (28 days) | 1 % (Biodegradation)

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

Biod. (28 days) | 39 % (DOC-decrease)

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential**

**CAS: 37859-55-5 O,O',O''-(methylsilyldi)trioxime 2-pentanone**

EBAB | 1.25 log Pow

**CAS: 26530-20-1 octhiline (ISO);2-octyl-2H-isothiazol-3-one**

EBAB | 2.61 log Pow (Bioaccumulation)

Bioaccumulation Factor (BCF) | 19.21

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

(Contd. on page 10)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 9)

**Behaviour in sewage processing plants:**

<b>Type of test / Effective concentration / Method / Assessment</b>	
<b>CAS: 112945-52-5 Silica,amorphous, fumed, crystalline-free</b>	
EC 50 (3h)	1,000-4,500 mg/l (microorganisms)
<b>CAS: 13463-67-7 titanium dioxide</b>	
EC 50 (3h)	1,000 mg/l (microorganisms)

**Additional ecological information:**

**General notes:**

Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly hazardous waste.

<b>European waste catalogue</b>	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**SECTION 14: Transport information**

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.

(Contd. on page 11)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 10)

**UN "Model Regulation":** Void

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2004/42/EC (VOC), cf. section 9

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

#### **EU Regulation No 852/2017 on mercury**

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

#### **Regulation (EU) No 649/2012**

None of the ingredients is listed.

#### **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

##### **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

##### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

#### **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

#### **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

#### **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(Contd. on page 12)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.02.2025

Version number 1

Revision: 20.02.2025

**Trade name: weber.fug 883 M**

(Contd. of page 11)

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:** Product safety department.**Contact:** Produktsicherheit@sg-weber.de**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1