



**weber.dur 110**  
Lime-cement render



**Environmental labels & certificates**



**Environmental Product Declaration (EPD)**

**Declaration number:** EPD-VDP-20230398-IBO2-DE  
**Title:** Render mortar, Normal render/scratch renders  
**Publisher:** Institut Bauen und Umwelt e.V.  
**Owner:** Association for Insulation Systems, Plaster and Mortar (VDPM)  
**Declared unit:** 1 kg  
**valid DIN standard:** DIN EN 15804 + A2

Parameter	Unit	Environmental impacts (A1 - A3)
Global warming potential-total (GWP-total)	kg CO2-eq.	2,06E-01
Global warming potential-fossil (GWP-fossil)	kg CO2-eq.	2,39E-01
Global warming potential-biogenic (GWP-biogenic)	kg CO2-eq.	-3,3E-02
Global warming potential-luluc (GWP-luluc)	kg CO2-eq.	1,1E-04

**DGNB (German Sustainable Building Council)**

- **DGNB Navigator Register-Code:** SKNPXE

---

- **Version:** 2023
- **Criterion:** ENV1.2 Healthy building
- **Assignment Criteria matrix:** 3
- **Assignment product group:** This refers to dust-binding coatings, primer coatings, e.g. concrete contact, curing barrier

**weber.dur 110 meets the requirements for the quality level QS 4**

- **Version:** 2023
- **Criterion:** ENV1.2 Healthy building
- **Assignment Criteria matrix:** 5
- **Assignment product group:**  
Decorative paints and dispersion insulation adhesives are currently being considered

**weber.dur 110 meets the requirements for the quality level QS 4**



## BNB (Sustainable Building Rating System)

- **Version:** 2017
- **Assignment Criteria matrix:** 4
- **Assignment:** Coatings on predominantly mineral surfaces in interior areas: concrete, masonry, mortar, filler (including dispersion filler), render, fleece, plasterboard, etc.  
Floor surfaces with special resistance requirements (such as OS systems) and traffic routes such as underground car parks, driveways, etc. are not considered.

weber.dur 110 meets the quality level requirements QN 5

- **Version:** 2017
- **Assignment Criteria matrix:** 35
- **Assignment:** Exterior render :  
Concrete, masonries, mortar or in ETICS

weber.dur 110 meets the quality level requirements QN 5

## NaWoh (Seal of Quality for Sustainable Housing)

- **Version:** 2024
- **Criterion:** 2.2.1 Avoiding harmful substances in building materials
- **Assignment:** QNG quality requirements for pollutant avoidance in QNG Annex Document 313, items 5.1. and 5.3

weber.dur 110 meets the requirements

## QNG (Quality Seal Sustainable Building)

- **Version:** 2023
- **Assignment Criteria matrix:** 5.1
- **Assignment:** Facade renders with and without film protection / algicidal finish

weber.dur 110 meets the requirements

- **Version:** 2023
- **Assignment Criteria matrix:** 5.3
- **Assignment:** Levelling compounds, dispersion fillers (Q-filler), adhesion primers under renders/ mortars/ interior paints, concrete cosmetics, dust-binding coatings, acrylate dispersion-based floor coatings, etc.

weber.dur 110 meets the requirements

## Ingredients

- SVHC\*: not included  
\*Substance of Very High Concern, substances of very high concern included in the current list of the European Chemicals Agency (ECHA) that meet the criteria of Art. 57 of the REACH Regulation, in a concentration > 0.1 % by weight
- Solvent content according to VdL Guideline 01: solvent free
- Plasticiser according to VdL Guideline 01: plasticizer free
- VOC EU: not included



## **Our contribution to environmental protection**

We bear responsibility for people in the present. But also take responsibility for them in the future. We lead the way in change processes to create a future in harmony with the environment. We are aware of our long-term responsibility.

DISCLAIMER: This sustainability data sheet is based on our findings and experience as of the issue date. In addition, please consider the information provided in the product data sheet, safety data sheet, and other relevant documents, such as performance declarations, GEV-EMICODE licenses, general building approvals, and environmental product declarations (EPD).